AUTHOR INDEX TO VOLUME 43

References with (A) are to abstracts of papers presented at meetings of the Physical Society and references with (L) are to Letters to the Editor.

Abramson, H. A. (see Wintersteiner, O.)—372(A)

——— **and Janet Daniel.** Influence of the dielectric constant of the medium on the potential and charge of a protein surface in a liquid—773(A)

Adel, Arthur and David M. Dennison. Infrared spectrum of carbon dioxide. Part I.—716; 1043(A)

Ahearn, A. J. Effect of temperature on the emission of electron field currents from molybdenum and tungsten —1058(A)

Albers, V. M. (see Knorr, H. V.)—379(A)

Albertson, Walter. Application of the mechanical interval recorder to analysis of the spectrum of Os I—501(A)

Allen, A. J. (see Franklin, Rachel)—1041(A)

——— **Rachel Franklin and Ellice McDonald.** Microphotography and some radiation effects on living organisms with various wave-lengths of monochromatic ultraviolet light—1041(A)

Allen, Mildred. Effect of tension on the electrical resistance of the single trigonal crystals, bismuth and antimony—502(A)

——— Effect of tension on the electrical resistance of single antimony crystals—569

Allison, Fred (see Goslin, Roy)—49

——— **and Edna R. Bishop.** Bismuth isotopes—47

Almy, G. M. and F. M. Sparks. Absorption spectrum of diatomic bismuth—1043(A)

Alvarez, Luis and Arthur H. Compton. Positively charged component of cosmic rays—835(L)

Amdur, I. Recombination of atomic hydrogen—208(L)

Anderson, Carl D. Cosmic-ray bursts—368(L)

——— Discovery of the free positive electron—1056(A)

——— Energy-loss and scattering of cosmic-ray particles —381(A)

——— Positive electron—491; 1056(A)

——— **and Seth H. Neddermeyer.** Positrons from gamma-rays—1034(L)

Andrews, Donald H., V. Deitz and S. Goldheim. New method for calculating molecular vibration frequencies —373(A)

Arkadiew, W. On the permeability of iron at ultra-radio frequencies—671(L)

Ashley, Muriel F. Band spectrum of the H^1H^2 molecule—770(L)

——— (see Giauque, W. F.)—81(L)

——— (see Lewis, Gilbert N.)—837(L)

Bacher, R. F. Interaction of configurations: $sd-p^2$—264

——— Note on the magnetic moment of the nitrogen nucleus—1001; 1044(A)

——— (see Goudsmit S.)—894; 1045(A)

Badger, Richard M. and Lyman G. Bonner. Infrared spectrum and the molecular structure of ozone and sulfur dioxide—305(L)

Bainbridge, K. T. Comparison of the masses of He and H^1 on a mass-spectrograph—103

——— Isotopic constitutions of krypton, mercury, selenium, cadmium and germanium—1056(A)

——— Mass of Be^9 and the atomic weight of beryllium —367(L)

——— Masses of Ne^{20} and B^{11}. The mass of Ne^{22} and the disintegration of F^{19}—424

——— Mass-spectra of neon fractionated by G. Hertz and the non-existence of Ne^{23}—1060(A)

——— Measurement of the masses of He and H^1, Ne^{20}, Ne^{22}, B^{11}, Cl^{35} and Cl^{37} with a mass-spectrograph—378(A)

Ballard, Stanley S. and H. E. White. Isotope effect in the Lyman series of hydrogen—941(L)

Baragar, A. E. (see Marvin, H. H.)—963

Barnes, R. Bowling. Notes on the preparation of reststrahlen plates and the reflection power of powders—31

——— Plasticity of rocksalt and its dependence upon water—82(L)

Barnes, S. W. (see Richtmyer, F. K.)—1049(A)

——— **and L. D. Palmer.** Rocking curve correction in the determination of the widths of x-ray lines—1050(A)

Barnett, S. J. Gyromagnetic ratios for nickel and cobalt—384(A)

——— Search for a new gyromagnetic effect: Magnetization by the rotation of a magnetic field—384(A)

Barton, H. A. (see Van Atta, L. C.)—158

Bateman, H. Schroedinger's rule and hydrodynamics—363(L)

——— Variational principles in electromagnetism—481

Bayley, P. L. Dielectric losses in rocksalt—355

——— Raman spectra of five higher alcohols—373(A)

Beams, J. W. Field electron currents from liquid mercury surfaces—781(A)

——— Initiation of discharges in high vacua—382(A)

Bearden, J. A. α-particles from ionization chamber materials—376(A)

——— Wave-lengths of the silver, molybdenum, copper, iron and chromium $K\alpha_1$ lines—92

——— **and C. H. Shaw.** Wave-lengths and shapes of the K-series lines of Cu, Ni, Co, Fe and Cr—1050(A)

——— **and J. A. Wheeler.** Determination of e or λ by the dispersion of x-rays—1059(A)

Becker, Joseph A. (see Brattain, Walter H.)—428; 1058(A)

——— (see Sears, R. W.)—1058(A)

——— **and W. H. Brattain.** Dependence of adsorbed ions on temperature—1058(A)

Beij, K. H. Capacity of overflow troughs—1046(A)
Bell, E. T. Remarks on the preceding note on many-valued truths—1033(L)
Benedict, William S. Molecular structure of ozone—580(L)
Bennett, R. D. (see Stearns, J. C.)—1038(L)
Benson, A. N. and R. A. Sawyer. Lack of observed hyperfine structure in strontium—766(L)
Birge, Raymond T. Value of e/m—211(A)
Bishop, Edna R. Radioactive families—38
——— (see Allison, Fred)—47
——— **and C. B. Dollins.** Radium isotopes—48
——— **Margaret Lawrenz and C. B. Dollins.** Lead isotopes—43
Bitter, F. Dynamic aspect of ferromagnetism—377(A)
——— On the magnetization of ferromagnetic crystals—655
Blair, Julian M. Herschel effect with x-rays and with blue light—85(L)
Blake, F. C. Critical study of the intensity formula for the powder method of crystal analysis—376(A)
Bleakney, Walker. Probability function for the production of He^{++} by single electron impact—378(A)
——— Relative abundance of the neon isotopes—1056(A)
——— (see Taylor, Hugh S.)—496(L)
Bock, Charles D. Ions in oxygen and hydrogen—1053(A)
Boeker, Gilbert F. Diamagnetism of carbon tetrachloride, benzene and toluene at different temperatures—756
Bonner, Lyman G. (see Badger, Richard M.)—305(L)
Bonner, T. W. Ionization of gases at high pressures by neutrons—871
Botset, H. G. (see Wyckoff, R. D.)—373(A)
Bowen, I. S. and R. A. Millikan. Cosmic-ray intensities in the stratosphere—695
Bowie, Robert M. (see Fox, Gerald W.)—1057(A)
Bradbury, Norris E. Energy distribution of photoelectrons from zinc surfaces—502(A)
——— (see Young, Lloyd A.)—34; 1054(A)
——— **and Lloyd A. Young.** Passage of photoelectrons through mica—84(L)
Bramhall, E. H. Demonstration of an electrostatic high voltage generator—502(A)
——— **and R. J. Van de Graaff.** 1,500,000 volt portable electrostatic generator of rugged design—382(A)
Bramley, Arthur. Continuous beta-ray spectrum—767(L)
Brasefield, Charles J. Ionization of argon, neon and helium by A, Ne and He atoms—776(A); 785
Brattain, W. H. (see Becker, J. A.)—1058(A)
——— **and Joseph A. Becker.** Temperature dependence of the work function for composite surfaces—1058(A)
——— **and Joseph A. Becker.** Thermionic and adsorption characteristics of thorium on tungsten—428
Breit, G. (see Johnson, M. H., Jr.)—1047(A)
——— **and Lawrence A. Wills.** Hyperfine structure in intermediate coupling and nuclear magnetic moments—1044(A)
Brickwedde, F. G. (see Silsbee, F. B.)—1050(A)
Brindley, G. W. Diamagnetic susceptibilities and polarizabilities of ions—1030(L)
Brode, Robert B. (see Jordan, Edward B.)—112; 211(A)
Brode, Robert B. and Edward B. Jordan. Reflection of electrons from liquid mercury—1057(A)
Brown, F. W. and C. G. Dunn. Atomic wave functions—1047(A)
Brown, Frederick L. Index of refraction of carbon dioxide as a function of the density—373(A)
Broxon, James W., George T. Merideth and Louis Strait. Fluctuations of cosmic-ray ionization—687
Bruce, C. W. Electro-optical Kerr effect in gases—1044(A)
Burbank, Cecil J. Anomaly in the columbium K-absorption limit—83(L)
Burdick, S. D. (see Wilkins, T. R.)—1059(A)

Cady, Willoughby M. Spectra of the calcium I-like ions: manganese VI, iron VII, cobalt VIII and nickel IX—214(A); 322
Callihan, Dixon (see Salant, E. O.)—590(L)
Carr, Emma P. (see Stücklen, H.)—944(L)
Cashman, R. J. and W. S. Huxford. Photoelectric sensitivity of magnesium—811
Chamberlain, Katherine and Harold B. Cutter. New lines in the electronic band spectrum of neutral OH—771(L)
Chambers, C. C. Surfaces from which cold emission currents appear only at very high field gradients—768(L)
Clark, George L. and Howard A. Smith. Occurrence of $CuAl_2$ in duralumin—305(L)
Clark, H. T. Portable high-tension voltmeter—382(A)
Coates, Wesley M. Production of x-rays by fast mercury ions—837(L)
——— **and David H. Sloan.** High velocity mercury ions—212(A)
Cohen, V. W. (see Rabi, I. I.)—377(A); 1044(A); 582(L)
Colby, M. Y. and Sidon Harris. Effect of etching on the relative intensities of the components of double Laue spots obtained from a quartz crystal—562
Colwell, R. C. Related figures on circular plates—782(A)
——— **and I. O. Myers.** Reflecting layers of the upper atmospheres—774(A)
Compton, Arthur H. Geographic study of cosmic rays—387
——— Some evidence regarding the nature of cosmic rays—382(A)
——— (see Alvarez, Luis)—835(L)
Compton, K. T. (see Van de Graaff, R. J.)—382(A); 149
——— **and E. S. Lamar.** Test of the "momentum transfer" theory of accommodation coefficients of ions at cathodes—1054(A)
Condon, E. U. Notes on the Stark effect—648
Cook, J. W. (see Silsbee, F. B.)—1050(A)
Cooksey, C. D. and S. T. Stephenson. Secondary absorption and fine structure of x-rays as observed with a double crystal spectrometer—670(L)
Coolidge, Albert Sprague (see James, Hubert M.)—588(L)
Crane, Richard and C. C. Lauritsen. High potential porcelain x-ray tube—212(A)
Crawford, F. H. and W. A. Shurcliff. Band spectrum of CS—766(L)
Curtis, Harvey L., Charles Moon and C. Matilda Sparks. Absolute determination of the ohm—1041(A)
——— **and Roger W. Curtis.** Absolute determination of the ampere—1059(A)

Curtis, Roger W. (see Curtis, Harvey L.)—1059(A)
Cutter, Harold B. (see Chamberlain, Katherine)—771(L)

Dahl, O. (see Tuve, M. A.)—942(L); 1055(A)
Danforth, W. E., Jr. (see Swann, W. F. G.)—778(A)
Daniel, Janet (see Abramson, Harold A.)—773(A)
Davis, Bergen. Conquest of the physical world—379(A)
Davisson, C. J. Electron optics—777(A)
Dawson, David H. (see Johnston, Herrick L.)—374(A); 473; 580(L)
——— **and Herrick L. Johnston.** Further studies in the spectrum of the OH molecule: a new (2,2) band: satellite series in λ3122; Λ-type doubling and electronic spin doubling—980
Deitz, V. (see Andrews, Donald H.)—373(A)
Deming, Lola S. (see Deming, W. Edwards)—1051(A)
Deming, W. Edwards. Estimates of probable error using prior information—1059(A)
——— **and Lola S. Deming.** Entropies of nitrogen, carbon monoxide, and hydrogen from 1 to 1200 atmospheres and from −70°C to 400°C—1051(A)
Dempster, A. J. and R. E. Holzer. Light excitation in neon by lithium ions—365(L)
Dennison, David M. (see Adel, Arthur)—716; 1043(A)
——— (see Gerhard, Sherman L.)—197
Dieke, G. H. Internal resonance in the CO molecule—780(A)
——— **and J. W. Mauchly.** Structure of the third positive group of CO bands—12
Dixon, J. K. Ultraviolet absorption bands of ammonia—711
Dollins, C. B. (see Bishop, Edna R.)—43, 48
Dow, R. B. Viscosity of mixtures of liquids at high pressures—502(A)
Dryden, Hugh L. Studies of boundary layer flow at the Bureau of Standards—1046(A)
——— **W. C. Mock, Jr. and G. B. Schubauer.** Effect of turbulence on the rating of cup anemometers—1042(A)
DuBridge, Lee A. Theory of the energy distribution of photoelectrons—727
Duffendack, O. S. and R. W. Smith. Effect of a small admixture of a foreign gas on the conductivity of a rare gas irradiated by its own resonance radiation—374(A)
——— **and R. W. Smith.** Conductivity of rare gases irradiated by their own resonance radiation—586(L); 1053(A)
——— **and K. Thomson.** Some factors affecting action cross section for collisions of the second kind between atoms and ions—106
DuMond, Jesse W. M. Method of doubling the energy of electrons obtainable in a Sloan type tube and of measuring e/m at a million volts—1049(A)
Dunn, C. G. (see Brown, F. W.)—1047(A)
Dunning, John R. Detection of corpuscular radiation by vacuum tube methods—380(A)
——— **and G. B. Pegram.** Scattering and absorption of neutrons—497(L); 775(A)
Dunnington, Frank G. Determination of e/m for an electron by a new deflection method—211(A); 404
Duveneck, F. B. (see Webster, D. L.)—384(A); 385(A); 839

Eaton, H. N. National Hydraulic Laboratory—1046(A)
Edwards, Hiram W. Aluminum-magnesium mirrors—205(L)
Edwards, J. E. (see Heil, L. M.)—1
Eliason, A. Y. Multiplets in the spectra of Cb III and Mo IV—745
Ellwood, W. B. Sensitive ballistic galvanometer operating in high vacuum—1042(A)
Emslie, A. G. Electron diffraction by stibnite and galena—1056(A)
Epstein, Paul S. Magnetization in strong fields as a function of temperature—216(A)
Estabrook, G. B. Effect of high electrostatic fields upon the vaporization of molybdenum—383(A)
Evans, J. F. (see Schriever, William)—372(A)
Evans, Robley D. Direct fusion method for determining the radium content of rocks—211(A)
Evjen, H. M. New analysis of Slater's compressibility data—215(A)
Ewell, Arthur W. Decomposition of ozone—779(A)

Failla, G. Vacuum tube instrument for measuring very small unidirectional currents and voltages—774(A)
Fankuchen, I. Crystal structure of sodium uranyl acetate—1048(A)
Farnsworth, H. E. Diffraction of low-speed electrons—778(A)
——— **Fine structure of electron diffraction beams from a gold crystal and from a silver film on a gold crystal**—900
——— **and B. A. Rose.** Measurements on contact potential difference between different faces of copper single crystals—375(A)
Fountain, C. R. Absorption and reradiation of short electric waves—384(A)
Fox, Gerald W. and Robert M. Bowie. New method for determining thermionic work functions of metals and its application to nickel—1057(A)
Franklin, Rachel (see Allen, A. J.)—1041(A)
——— **A. J. Allen and Ellice McDonald.** Some micro-moving-pictures showing the lethal effects of ultraviolet radiation on certain living protozoa—1041(A)
Frazier, Richard H. Precise determination of the thermal diffusivity of zinc—135
—— Purity of zinc for which thermal diffusivity recently was reported—762(L)
Frederickson, W. R. and Carl R. Stannard. Magnetic rotation spectrum of the red bands of sodium—1043(A)
Frenkel, J. On a possible explanation of superconductivity—907
Frische, Carl A. Ionization and scattering accompanying positive ion impact in gases—160
Furry, Wendell H. C state of Li_2—361(L)

Gagge, A. P. Magnetic focussing method for the angular distribution of electrons after elastic and inelastic collisions with gases—776(A)
Gans, David M. (see Harkins, William D.)—208(L); 584(L); 1055(A)
Gerhard, Sherman L. and David M. Dennison. Envelopes of infrared absorption bands—197

Germer, L. H. Diffraction of electrons by metal surfaces—724; 777(A)
Giauque, W. F. and Muriel F. Ashley. Molecular rotation in ice at 10°K. Free energy of formation and entropy of water—81(L)
——— **and D. P. MacDougall.** Attainment of temperatures below 1° absolute by demagnetization of $GD_2(SO_4)_3 \cdot 8H_2O$—768(L)
Gideon, Edith (see Henderson, Jos. E.)—601
Ginsburg, N. (see Inglis, D. R.)—194
Gleason, Paul R. Response of barrier-layer photo-cells to x-rays—775(A)
Goetz, A. (see Ho, T. L.)—213(A)
——— (see Wolf, A.)—213(A)
——— **and R. B. Jacobs.** Effect of temperature on the reflection of x-rays from bismuth crystals—213(A)
Golay, M. J. E. (see Hershberger, W. D.)—1042(A)
Goldheim, S. (see Andrews, Donald H.)—373(A)
Gorter, C. J. (see de Haas, W. J.)—81(L)
Goslin, Roy and Fred Allison. Isotopes of uranium, thorium and thallium—49
Goudsmit, S. Nuclear magnetic moments—636
——— (see Wu, Ta-You)—496(L)
——— **and R. F. Bacher.** Anomalies in hyperfine structure—894; 1045(A)
Gould, Austin J. (see Taylor, Hugh S.)—496(L)
Grace, Norman S. Hyperfine structure and nuclear moment of cobalt—762(L)
——— **and H. E. White.** Hyperfine structure and isotopic constitution of tungsten—1039(L)
Gray, Newton M. Spin of Li^7 from hyperfine structure data—1044(A)
Green, J. B. and R. A. Loring. Zeeman effect of lead II, III and IV—459
Grimminger, G. Principle of dimensional homogeneity and aerodynamical resistance, with application to the cup anemometer—1042(A)
Grinfeld, Rafael (see Jenkins, F. A.)—943(L)
Grosse, A. v. Mass of the neutron and the constitution of atomic nuclei—143(L)
Gunn, Ross. High speed ions of stellar origin—380(A)
——— Radiation reaction forces and the expanding universe—764(L); 1054(A)
Gvosdover, S. D. Effect of secondary emission from a metal collector immersed in a discharge—146(L)

de Haas, W. J., J. v. d. Handel and C. J. Gorter. Paramagnetic saturation in a single crystal—81(L)
Hafstad, L. R. (see Tuve, M. A.)—942(L); 1055(A)
Halpern, O. On the statistical foundation of Debye's theory of electrolytes—495(L)
——— On a thermodynamic relation in the theory of electrophoresis—372(A)
Handel, J. v. d. (see de Haas, W. J.)—81(L)
Hansen, W. W. (see Webster, D. L.)—384(A); 385(A); 839
——— **and K. B. Stoddard.** Relation between line and continuous x-ray spectra—701
Hare, Donald G. and Paul Kirkpatrick. Lateral distribution of photoelectrons and the measurement of x-ray polarization—1037(L)
Harkins, William Draper. Emission of γ-rays by nuclei excited by neutrons, and nuclear energy levels—362(L)
——— Hemi-alpha groups in atomic nuclei as related to the energy of binding—1059(A)
——— **David M. Gans and Henry W. Newson.** Atomic disintegration by a relatively slow neutron—208(L)
——— **David M. Gans and Henry W. Newson.** Disintegration of atomic nuclei by neutrons—1055(A)
——— **David M. Gans and Henry W. Newson.** Neutron of high velocity, and energy relations for nuclear disintegration by non-capture—584(L)
Harris, Sidon (see Colby, M. Y.)—562
Harrison, George R. Improvements in the mechanical interval sorter for complex spectra—779(A)
Harrison, Louis P. Review of observation and theory of turbulence in the atmosphere—1042(A)
Harvey, G. G. Diffuse scattering of x-rays from sylvine. II—591
——— Diffuse scattering of x-rays from sylvine. III. Scattering at the temperature of liquid air—707
Havens, Glenn G. Magnetic susceptibilities of some common gases—992
Heaps, C. W. Discontinuities of magnetoresistance—763(L)
——— Electromotive forces associated with Barkhausen discontinuities—945(L)
Heil, L. M. and J. E. Edwards. Measurement of x-ray absorption coefficients by the use of the FP-54 Pliotron—1
Henderson, Jos. E. and Edith Gideon. Cathodic disintegration of platinum by mercury ions—601
Henderson, M. C. Disintegration of lithium by protons of high energy—98; 380(A)
Hershberger, W. D., H. A. Zahl and M. J. E. Golay. Luminous discharge between Lecher wires in a partially evacuated tube—1042(A)
Heydenburg, N. P. Paschen-back effect of hyperfine structure and polarization of resonance radiation, cadmium $(6^1P_1 - 5^1S_0)$—640
——— Paschen-back effect and the polarization of resonance radiation. Sodium $(5^2P_{\frac{1}{2},\frac{3}{2}} - 3^2S_{\frac{1}{2}})$—1045(A)
Hill, E. L. Conservation theorems in quantum mechanics—780(A)
——— Perturbation theory and electron scattering—303(L)
Hirsch, F. R., Jr. and F. K. Richtmyer. Measurement of the relative intensity of x-ray satellites in cathode-ray and in fluorescence excitation—1049(A)
Ho, T. L. and A. Goetz. Thermal expansion of Bi single crystals—213(A)
Hoffmann, Banesh. Projective relativity and the Einstein-Mayer unified field theory—615; Erratum—946(L)
Holzer, Robert E. Light excitation by alkali ions in the Noble gases—1053(A)
——— (see Dempster, A. J.)—365(L)
Hootman, James A. Kerr's law at high field strengths—749; 1044(A)

Hopfield, John J. Use of argon in the ionization method of measuring cosmic rays and gamma-rays—675
Howell, Lynn G. (see Mott-Smith, Lewis M.)—381(A)
——— **and Lewis M. Mott-Simth.** Airplane method of obtaining cosmic-ray intensity data—381(A)
Howey, J. H. Effect of spin interaction in the diffraction and polarization of electrons—499(L)
Hudson, J. C. and H. G. Vogt. *K*-series spectrum of tungsten—1049(A)
Huggins, M. L. and J. E. Mayer. Interatomic distance calculations for ionic crystals—373(A)
Hughes, A. L. and J. H. McMillen. Elastic electron scattering in neon—875
Hull, A. W. Characteristics and functions of Thyratrons—379(A)
Huxford, W. S. (see Cashman, R. J.)—811

Ikehara, S. (see Rosen, N.)—5
Inglis, D. R. and N. Ginsburg. Atomic energy levels and Zeeman effect—194
Ireland, Clarence. Quantum mechanics of beryllium hydride—329

Jacobs, R. B. (see Goetz, A.)—213(A)
James, Hubert M. Influence of inner shells on atomic interactions—589(L)
——— **and Albert Sprague Coolidge.** Improved calculation of ground state of H_2—588(L)
Jauncey, G. E. M. and Ford Pennell. Scattering of x-rays from powdered crystals—505
Jefferson, M. E. (see Maxwell, Louis R.)—777(A)
Jen, C. K. Continuous electron affinity spectrum of hydrogen—540
Jenkins, F. A. and Rafael Grinfeld. Spectrum of MgF—943(L)
Jeppesen, C. Rulon. Extreme ultraviolet spectrum of molecular hydrogen—214(A)
Joffe, J. and Harold C. Urey. Spin of the sodium nucleus—761(L)
Johnson, M. H., Jr. Note on almost closed shells—632
——— Vector model and the Pauli principle—627
——— **and G. Breit.** Interaction of a valence electron with a closed shell—1047(A)
Johnson, Thomas H. Azimuthal asymmetry of the cosmic radiation—834(L)
——— Azimuthal asymmetry of the cosmic radiation at Mexico City—1059(A)
——— Comparison of the angular distributions of the cosmic radiation at elevations 6280 ft. and 620 ft.—307; 385(A)
——— Cosmic-ray hodoscope and a circuit for recording multiply coincident discharges of Geiger-Mueller counters—379(A)
——— **and E. C. Stevenson.** Angular distribution of low-energy cosmic radiation and interpretation of angular distribution curves—583(L); 775(A)
——— **and J. C. Street.** Variation of cosmic-ray intensities with azimuth on Mt. Washington, N. H.—381(A)
Johnston, Herrick L. (see Dawson, David H.)—980
——— **and David H. Dawson.** Identification of the (2,2) band of neutral OH. Satellite series of the (1,1) band. Extensions of the (0,0) band—580(L)
——— **David H. Dawson and Margery K. Walker.** New band in the spectrum of the OH molecule—374(A); 473
Jordan, Edward B. (see Brode, Robert B.)—1057(A)
——— **and Robert B. Brode.** Elastic scattering of electrons by mercury atoms—112; 211(A)

Kabakjian, D. H. Decay of luminescence and light absorption in phosphorescent materials—378(A)
Kaplan, Carl. On some applications of the absolute differential calculus to physics—137
Kaplan, Joseph. Auroral spectrum—214(A)
von Karman, Th. Our present knowledge of turbulent flow—1046(A)
Kassel, Louis S. Thermodynamic calculations from spectroscopic data—364(L)
Kempf, L. W. Occurrence of $CuAl_2$ in duralumin—942(L)
Kennard, E. H. Orthogonality of scattered wave functions—378(A)
——— Torque on Faraday's magnet—587(L)
Kennard, R. B. Variation with height of convective heat flux from parallel vertical plates—372(A)
Kenty, Carl. Photoelectric and metastable atom emission of electrons from surfaces in the rare gases—181
——— Variation of photoelectric efficiency with work function in the extreme ultraviolet—776(A)
Keulegan, G. H. Present status of knowledge of pressure loss for flow in curved pipes—1046(A)
King, Arthur S. Electric-furnace ionization effect—214(A)
King, P. B. (see Mimno, Harry R.)—501(A)
Kirkpatrick, Paul and P. A. Ross. Absolute x-ray reflectivities of single crystals of calcite, rocksalt, Rochelle salt and barite—596
——— (see Hare, Donald G.)—1037(L)
——— (see Ross, P.A.)—1036(L)
Knauss, Harold P. Production of specified wave forms with the photoelectric siren—375(A)
Kneser, H. O. Sound absorption in molecular gases—215(A)
——— Transfer of vibrational energy between molecules—1051(A)
Knopf, G. D. (see Kurie, F. N. D.)—311; 781(A)
Knorr, H. V. and V. M. Albers. Fluorescence of solutions of chlorophyll—379(A)
Knudsen, V. O. Absorption of sound in air and water vapor—1051(A)
Koehler, James F. Quenching of iodine fluorescence by iodine and argon—1044(A)
Kretschmar, G. G. Determination of e/m by means of photoelectrons excited by x-rays—417
Krutter, H. M. (see Warren, B. E.)—500(A)
Kunz, Jakob. Photoelectric effect of caesium vapor—1052(A)
——— Problem of the intrinsic magnetic field by P. Weiss—377(A)
Kurie, Franz N. D. Angular distribution of protons projected by neutrons—1056(A)
——— Collisions of neutrons with protons—672(L)

Kurie, Franz N. D. Nitrogen disintegration by a very fast neutron—771(L)
——— **and G. D. Knopf.** Measurement of the range of alpha-particles from thorium with the Wilson chamber—311; 781(A)

Ladenburg, R. and C. C. Van Voorhis. Continuous absorption of oxygen between 1750 and 1300A and its bearing upon dispersion—315
Lamar, E. S. Momentum transfer to cathode surfaces by impinging positive ions in a helium arc—169
——— (see Compton, K. T.)—1054(A)
La Mer, Victor K. and M. L. Miller. Index of refraction of water and its thermal history—207(L)
Landé, Alfred. Neutrons in the nucleus. I—620; II—624
Langer, R. M. Latitude effect on secondary electrons due to cosmic rays—215(A)
——— **and R. W. Raitt.** Radioactivity of beryllium—1055 (A)
——— **and R. W. Raitt.** New kind of radioactivity—585 (L)
Langmuir, Irving. Nature of adsorbed films of caesium on tungsten. Part I. The space charge sheath and the image force—224
Laporte, Otto. Note on Kowalewski's top in quantum mechanics—548; 782(A)
Lark-Horovitz, K. and E. P. Miller. X-ray diffraction of liquid films—1060(A)
——— **and H. J. Yearian.** New electron diffraction rings in zinc oxide and the interpretation—376(A)
Lauritsen, Charles C. Portable roentgenmeter—212(A)
——— (see Crane, Richard)—212(A)
Lawrence, Ernest O. (see Livingston, M. Stanley)—212 (A); 369(L)
——— (see White, Milton G.)—304(L)
Lawrenz, Margaret (see Bishop, Edna R.)—43
Leberknight, C. E. Infrared absorption of benzene in the liquid, solid and vapor states—967
Lemaitre, G. Uncertainty of the electromagnetic field of a particle—148(L)
——— **and M. S. Vallarta.** On Compton's latitude effect of cosmic radiation—87
Lewis, Gilbert N. and Muriel F. Ashley. Spin of hydrogen isotope—837(L)
——— **and Frank H. Spedding.** Spectroscopic search for H^3 in concentrated H^2—964
Lindsay, R. B. Filtration of elastic waves in solid rods—1051(A)
——— Modification of Brillouin's unified statistics—780(A)
Livingston, M. Stanley. Attainment of high vacua in large metal chambers—214(A)
——— **and Ernest O. Lawrence.** Disintegration of aluminum by swiftly moving protons—369(L)
——— **and Ernest O. Lawrence.** Production of 4,800,000 volt hydrogen ions—212(A)
Locher, Gordon L. Expansion chamber data on cosmic-ray ionization—381(A)
Loring, R. A. (see Green, J. B.)—459
Lozier, W. Wallace. Dissociation products of carbon monoxide formed by primary electron impact—776(A)
Luhr, Overton. Nature of gas ions—1053(A)

MacDonald, J. K. L. Successive approximations by the Rayleigh-Ritz variation method—830
Macdonald, R. T. and G. K. Rollefson. Effect of foreign gases upon the relative intensities of the mercury triplet $2^3P_{012}-2^3S_1$ under conditions of optical excitation—177
MacDougall, D. P. (see Giauque, W. F.)—768(L)
Mais, W. H. and I. I. Rabi. Direct measurement of the scattering of potassium atoms by other atoms and molecules—378(A)
Manning, K. V. Effect of etching on the rocking curve widths of calcite crystals—1050(A)
Margenau, Henry. Pressure broadening of spectral lines. II—129, 374(A)
——— **and William W. Watson.** Pressure effects of foreign gases on the sodium resonance lines—1053(A)
Marvin, H. H. and A. E. Baragar. Zeeman effect in the arc spectrum of nickel—973
Mauchly, J. W. (see Dieke, G. H.)—12
Maxwell, Louis R. Electron diffraction by transmission through liquids—1057(A)
——— **M. E. Jefferson and V. M. Mosley.** Diffraction of electrons by single molecules—777(A)
Mayer, J. E. (see Huggins, M. L.)—373(A)
——— **and Maria Goeppert Mayer.** Polarizabilities of ions from spectra—605
Mayer, Maria Goeppert (see Mayer, J. E.)—605
McDonald, Ellice (see Allen, A. J.)—1041(A)
——— (see Franklin, Rachel)—1041(A)
McKeehan, L. W. Magnetic dipole fields in unstrained cubic crystals—913
——— Magnetic dipole fields in dislocated cubic crystals—924
——— Magnetic dipole energy in homogeneously strained cubic crystals—1022
——— Magnetic dipole energy in hexagonal crystals—1025
McKellar, Andrew. Mass ratio of the lithium isotopes from the spectrum of Li_2—215(A)
McMillen, J. H. (see Hughes, A. L.)—875
Mebs, Russell W. Effect of high series resistance on cold emission—1058(A)
Menzel, D. H. Physics of the sun—502(A)
Merideth, George T. (see Broxon, James W.)—687
Miller, Dayton C. Absolute motion of the solar system and the orbital motion of the earth determined by the ether-drift experiment—1054(A)
Miller, E. P. (see Lark-Horovitz, K.)—1060(A)
Miller, M. L. (see La Mer, Victor K.)—207(L)
Millikan, R. A. (see Bowen, I. S.)—695
——— New techniques in the cosmic-ray field and some of the results obtained with them—661
——— **and H. Victor Neher.** New technique in the cosmic-ray field and some of the results obtained with it—381(A)
——— **and H. Victor Neher.** Sun and cosmic rays—211(A)
Mimno, Harry Rowe and P. H. Wang. Balanced receiving circuit for Kennelly-Heaviside layer observations—774 (A)

Mimno, Harry Rowe and P. H. Wang. Double-refraction effects in the Kennelly-Heaviside layers—769(L)
——— **P. H. Wang and P. B. King.** New modulator for use in Kennelly-Heaviside layer recording—501(A)
Mitchell, Allan C. G. Effect of hyperfine structure on magnetic depolarization of resonance radiation—780(A)
——— Hyperfine structure and the polarization of resonance radiation. II. Magnetic depolarization and the determination of mean lives—887
Mock, W. C., Jr. (see Dryden, Hugh L.)—1042(A)
Mohler, F. L. Recombination spectra in the positive column of a caesium discharge—374(A)
——— Spontaneous recombination and the effect of vapor pressure in a caesium discharge—1052(A)
Montgomery, Carol G. (see Swann, W. F. G.)—782(A)
——— **and William H. Ross.** Magnetic susceptibilities of lead, silver and their alloys—358
Moon, Charles (see Curtis, Harvey L.)—1041(A)
Morse, P. M. (see Vinti, J. P.)—337
——— **and L. A. Young.** Variational atomic wave functions—501(A)
Mosley, V. M. (see Maxwell, Louis R.)—777(A)
Mott-Smith, Lewis M. (see Howell, Lynn G.)—381(A)
——— **and Lynn G. Howell.** Airplane cosmic-ray intensity measurements—381(A)
Mueller, D. W. (see Smyth, H. D.)—116; 121
Müller, Hans. Weiss law for Rochelle salt—500(A)
Mulliken, Robert S. Electronic structures of polyatomic molecules and valence. IV. Electronic states, quantum theory of the double bond—279
——— Electronic structures of polyatomic molecules and valence. Magnetism of B_2H_6—765(L)
Munro, George C. Theory of the inverse first power electrostatic field—213(A)
Myers, I. O. (see Colwell, R. C.)—774(A)

Nathanson, J. B. Interference of light in transparent films of manganese—383(A)
Neddermeyer, Seth H. (see Anderson, Carl D.)—1034(L)
Neher, H. Victor (see Millikan, Robert A.)—211(A); 381(A)
Newson, Henry W. (see Harkins, William D.)—208(L); 584(L); 1055(A)
Nielsen, H. H. (see Sprague, A. D.)—375(A)
Nishikawa, S., Y. Sakisaka, I. Sumoto. X-ray examination of the harmonic thickness vibration of piezoelectric quartz plates—363(L)
Norris, Will V. and Hilbert J. Unger. Infrared absorption bands of methane—467

O'Brien, Brian and Vernon L. Parks. Influence of frequency of flash on the photographic intermittency effect—1052(A)
Oldenberg, O. Attempts to observe an electron affinity spectrum—374(A); 534
——— On a molecular spectrum emitted from atomic iodine vapor—501(A)
Oncley, J. L. and John Warren Williams. Frequency variation of the dielectric constant of dilute non-aqueous solutions—341
Oppenheimer, J. R. Disintegration of lithium by protons—380(A)
Osterberg, H. Multiple interferometer for analyzing the vibrations of a quartz plate—819
——— (see Roebuck, J. R.)—60

Palmer, L. D. (see Barnes, S. W.)—1050(A)
Parker, Allan E. Partial resolution of the Be I line λ4572.69 and probable spin of the Be^9 nucleus—1035(L)
——— Zeeman effect for perturbed N_2^+ terms—780(A)
Parks, Vernon L. (see O'Brien, Brian)—1052(A)
Pegram, G. B. (see Dunning, J. R.)—497(L); 775(A)
Pennell, Ford (see Jauncey, G. E. M.)—505
Penney, W. G. Crystalline fields of Pr, Nd and Yb from paramagnetic susceptibilities—485
——— Structure of ethylene and the theory of the double bond—1048(A)
Pickering, W. (see Sparks, B.)—214(A)
Pierce, W. C. Scattering of x-rays by the gaseous dichlorbenzenes—145(L)
Piggot, Charles Snowden. Isotopes of uranium, thorium and lead, and their geophysical significance—51
Pike, Eugene W. Efficiency of electron release by metastable atoms—144(L)
Plumley, Harold. Resonance spectrum of bromine—495(L)
Pool, M. L. and S. J. Simmons. Absorption and emission of hyperfine structure in optically excited mercury vapor—1045(A)
Poole, Cyrus A. and W. S. Werner. High voltage x-ray tube and constant potential transformer equipment—774(A)
Potapenko, G. and R. Sanger. New method of measuring electric and magnetic properties of metals in the region of ultra-short electromagnetic waves—210(A)
Powell, W. M. Intensity measurements between 1650A and 1240A with a photoelectric cell—779(A)

Rabi, I. I. (see Mais, W. H.)—378(A)
——— Effective neutron collision radius—838(L)
——— **and V. W. Cohen.** Magnetic velocity selector for molecular beams—377(A); 1044(A)
——— **and V. W. Cohen.** Nuclear spin of sodium—582(L)
Raitt, R. W. (see Langer, R. M.)—585(L); 1055(A)
Randall, H. M. and Norman Wright. Pure rotation absorption spectra of NH_3 and PH_3 gases under high resolving power—1043(A)
Rashevsky, N. Physico-mathematical aspects of the conduction of nervous impulse—372(A)
Rice, O. K. Predissociation and the crossing of molecular potential energy curves—501(A)
Richtmyer, F. K. (see Hirsch, F. R., Jr.)—1049(A)
——— **and S. W. Barnes.** Widths of the lines of the *K*-series of tungsten—1049(A)
Robertson, H. P. (see Tolman, R. C.)—564
Roebuck, J. R. and H. Osterberg. Joule-Thomson effect in helium—60
Rojansky, V. On a relativistic particle with a *q*-number charge—207(L)
Rollefson, G. K. (see Macdonald, R. T.)—177
Rose, B. A. (see Farnsworth, H. E.)—375(A)

Rosen, N. Potential energy of diatomic molecules—671(L)
——— **and S. Ikehara.** Interaction between atoms with *s*-electrons—5
Rosenthal, Jenny E. (see Salant, E. O.)—581(L)
Ross, P. A. and Paul Kirkpatrick. Weak x-ray lines of columbian and antimony—1036(L)
——— (see Kirkpatrick, Paul)—596
Ross, William H. (see Montgomery, Carol G.)—358
Ruark, Arthur E. (see Western, Forrest)—205(L); 781(A)
Ruedy, J. E. Arc spectrum of sulfur in the ultraviolet—1045(A)

Sabine, George B. (see Williams, Robley C.)—362(L)
Sakisaka, Y. (see Nishikawa, S.)—363(L)
Salant, E. O. and Dixon Callihan. Modified scattering by crystalline hydrogen halides—590(L)
——— **and Jenny E. Rosenthal.** Vibrational isotope effects in polyatomic molecules. II—581(L)
Sandow, A. Diffraction spectra from striated muscle and the mechanism of contraction—1041(A)
Sanger, R. (see Potapenko, G.)—210(A)
Sawyer, R. A. (see Benson, A. N.)—766(L)
Schmidt, A. R. (see Woodrow, Jay W.)—379(A)
Schneider, Edwin G. Note on photographic intensity measurement in the Schumann region—779(A)
Schoepfle, George Kern. Extension of the Pt I-like isoelectronic sequence tellurium IV, lead V and bismuth VI—374(A)
——— Extension of the Pd I-like isoelectronic sequence to antimony VI and tellurium VII—742
Schriever, William and J. F. Evans. Motion of an air-segment in a water-filled capillary tube—372(A)
Schubauer, G. B. (see Dryden, Hugh L.)—1042(A)
Schureman, P. Tides—1046(A)
Scott, R. B. (see Silsbee, F. B.)—1050(A)
Sears, R. W. and J. A. Becker. Thermionic and adsorption characteristics of platinum on tungsten—1058(A)
Seitz, F. (see Wigner, E.)—804; 1048(A)
Serber, Robert. Calculation of statistical averages for perturbed systems—1011
——— Theory of depolarization, optical anisotropy and the Kerr effect—1003
Shaw, C. H. (see Bearden, J. A.)—1050(A)
Shaw, R. William. Vibrational analysis of the GeO emission band spectrum—1043(A)
Shelton, S. M. (see Van Dusen, M. S.)—1052(A)
Shonka, J. J. Effect of temperature on the intensity of x-rays scattered by powdered sodium fluoride—947
Shortley, George H. Configuration p^5p of the rare gases—1047(A)
——— Transformations in the theory of complex spectra—451
Shrader, J. E. New high tension electrostatic voltmeter—774(A)
Shurcliff, W. A. (see Crawford, F. H.)—766(L)
Silsbee, F. B., R. B. Scott, F. G. Brickwedde and J. W. Cook. Superconductivity of tin at radiofrequencies—1050(A)
Simmons, S. J. (see Pool, H. L.)—1045(A)
Sixtus, K. J. (see Tonks, L.)—70; 931
Slichter, L. B. Potential problem for a semi-infinite medium of variable conductivity—373(A)
Sloan, David H. High voltage vacuum tube—213(A)
——— (see Coates, Wesley M.)—212(A)
Smekal, Adolf G. Plasticity of rocksalt and its dependence upon water—366(L)
Smith, Howard A. (see Clark, George L.)—305(L)
Smith, Philip T. (see Tate, John T.)—672(L); 1054(A)
Smith, R. W. (see Duffendack, O. S.)—374(A); 586(L); 1053(A)
Smith, Sinclair. Sensitive stellar photometer—211(A)
Smyth, H. D. and D. W. Mueller. Ionization of water vapor by electron impact—116
——— **and D. W. Mueller.** Ionization of sulphur dioxide by electron impact—121
Sonkin, Simon. Action of mercury metastable atoms on a tungsten surface—788
——— **and Harold W. Webb.** Action of mercury metastable atoms on metal surfaces—776(A)
Sparks, B. and W. Pickering. Some new coincidence measurements on the cosmic radiation—214(A)
Sparks, C. Matilda (see Curtis, Harvey L.)—1041(A)
Sparks, F. M. (see Almy, G. M.)—1043(A)
Spedding, F. H. Interpretation of line spectra in crystals—143(L)
——— Zeeman effect in crystals—214(A)
——— (see Lewis, Gilbert N.)—964
Sprague, A. D. and H. H. Nielsen. Infrared rotation vibration spectrum of hydrogen sulphide—375(A)
Sproull, Wayne T. Diffraction of low-speed electrons by a tungsten single crystal—516
Stannard, Carl R. (see Frederickson, W. R.)—1043(A)
Stearns, J. C. and R. D. Bennett. Angular distribution of cosmic-ray particles—1038(L)
Steinberger, R. L. Ferromagnetism of the iron nickel alloys under hydrostatic pressure—502(A)
Stephenson, Reginald J. Fluorescence yield from L_{III} level of uranium—527
Stephenson, S. T. (see Cooksey, C. D.)—670(L)
Sterne, T. E. Equilibrium theory of the abundance of the elements—585(L); 768(L)
——— Statistical investigation of an assembly in equilibrium in which all possible transmutations can occur—1056(A)
Stevenson, E. C. (see Johnson, Thomas H.)—583(L); 775(A)
Stewart, G. W. Liquid structure in ionic solutions—1057(A)
Stierstadt, O. New phenomena in the change of resistance of Bi single crystals in magnetic fields—577
Stoddard, K. B. (see Hansen, W. W.)—701
Strait, Louis (see Broxon, James W.)—687
Street, J. C. Production of secondaries by cosmic rays—1055(A)
——— (see Johnston, Thomas H.)—381(A)
Strong, John. Evaporation technique for aluminum—498(L)
Stücklen, H. and Emma P. Carr. Metastable ^2D-level of the nitrogen atom—944(L)
Sumoto, I. (see Nishikawa, S.)—363(L)

Sutherland, G. B. B. M. Infrared absorption bands of acetylene—883
Swann, W. F. G. Detection of the ionization by individual cosmic rays—775(A)
——— Mechanism of acquirement of cosmic-ray energies by electrons—217
——— On the nature of the primary cosmic radiation—945(L)
——— **and W. E. Danforth, Jr.** Lens for cosmic-ray electrons—778(A)
——— **and C. G. Montgomery.** Non-unidirectional emission of Hoffman's Stösse—782(A)

Tate, John T. and Philip T. Smith. Attempt to observe a helium isotope—672(L)
——— **Philip T. Smith and A. L. Vaughan.** Mass spectrum analysis of the products of ionization by electron impact in nitrogen and acetylene—1054(A)
Taylor, Hugh S., Austin J. Gould and Walker Bleakney. Separation of hydrogen isotopes by fractional desorption—496(L)
Thomassen, L. and J. E. Wilson. Note on the broadening of x-ray lines of cold-worked aluminum—763(L)
Thomson, K. (see Duffendack, O. S.)—106
Tolman, R. C. and H. P. Robertson. On the interpretation of heat in relativistic thermodynamics—564
Tonks, L. and K. J. Sixtus. Propagation of large Barkhausen discontinuities. III. Effect of a circular field with torsion—70
——— **and K. J. Sixtus.** Propagation of large Barkhausen discontinuities. IV. Regions of reversed magnetization—931
Trawick, M. W. Spectra of Cb V and Mo VI—1047(A)
Tuckerman, L. B. Theory and experiment in fluid dynamics—1045(A)
Turner, Louis A. Direct-current amplifier circuit—1050(A)
Tuve, M. A. Recent advances in nuclear physics—502(A)
——— Search by deflection-experiments for the Dirac isolated magnetic pole—770(L)
——— **L. R. Hafstad and O. Dahl.** Disintegration-experiments on elements of medium atomic number—942(L)
——— **L. R. Hafstad and O. Dahl.** Nuclear physics studies using the Van de Graaff electrostatic generator—1055(A)

Uehling, E. A. and G. E. Uhlenbeck. Transport phenomena in Einstein-Bose and Fermi-Dirac gases. I—552
Ufford, C. W. Configuration interaction in complex spectra 1047—(A)
Uhlenbeck, G. E. (see Uehling, E. A.)—552
Unger, Hilbert J. Infrared absorption bands of ammonia—123
——— (see Norris, Will V.)—467
Urey, Harold C. (see Joffe, J.)—761(L)
Utterback, C. L. and E. Allan Williams. Secondary electron emission from tantalum—212(A)

Valasek, Joseph. Effects of chemical combination on the x-ray emission spectrum of sulphur—612
Vallarta, M. S. (see Lemaitre, G.)—87
Van Atta, L. C. (see Van de Graaff, R. J.)—382(A); 149
——— **R. J. Van de Graaff and H. A. Barton.** New design for a high-voltage discharge tube—158
Van de Graaff, R. J. High-voltage methods in the investigation of nuclear structure—502(A)
——— (see Bramhall, E. H.)—382(A)
——— (see Van Atta, L. C.)—158
——— **K. T. Compton and L. C. Van Atta.** Electrostatic production of high voltages for nuclear investigations—382(A); 149
Van Dusen, M. S. and S. M. Shelton. Thermal conductivity of metals in the range 0 to 600°C—1052(A)
Van Vleck, J. H. Perturbations due to spin-orbit forces in CO and other band spectra—1047(A)
Van Voorhis, C. C. (see Ladenburg, R.)—315
Van Voorhis, S. N. Small-angle inelastic scattering of electrons in helium, mercury and hydrogen—777(A)
Vaughan, A. L. (see Tate, John T.)—1054(A)
Vegard, L. Luminescence from solidified gases and its interpretation—1060(A)
Vinti, J. P. (see Witmer, E. E.)—780(A)
——— **and P. M. Morse.** Variable scale atomic wave functions—337
Vogt, H. G. (see Hudson, J. C.)—1049(A)

Wainer, Eugene. Chemical intensification of x-ray spectrograms—303(L)
Walker, Margery K. (see Johnston, Herrick L.)—374(A); 473
Wang, P. H. (see Mimno, Harry Rowe)—769(L); 774(A); 501(A)
Warren, B. E. X-ray diffraction study of vitreous silica and Pyrex—1048(A)
——— **and H. M. Krutter.** X-ray study of crystal structure of Rochelle salt and effect of temperature—500(A)
Waterman, A. T. Note on contact potential difference—1048(A)
Watson, William W. Barium hydride band spectra in the near infrared—375(A); 9
——— (see Margenau, Henry)—1053(A)
Webb, Harold W. (see Sonkin, S.)—776(A)
Weber, Ernst. Electron flow in large direct currents—781(A)
Webster, D. L., W. W. Hansen and F. B. Duveneck. Probabilities of *K*-electron ionization of silver by cathode rays—384(A); 839
——— **W. W. Hansen and F. B. Duveneck.** Relative intensity of the silver *K*-lines from a thick target as a function of voltage and emergence angle—385(A)
Werner, W. S. (see Poole, Cyrus A.)—774(A)
Western, Forrest and Arthur E. Ruark. Actinouranium and the geologic time scale—205(L); 781(A)
Wheeler, John A. Theory of the dispersion and absorption of helium—258
——— (see Bearden, J. A.)—1059(A)
White, H. E. (see Ballard, Stanley S.)—941(L)
——— (see Grace, Norman S.)—1039(L)
White, Milton G. and Ernest O. Lawrence. Disintegration of boron by swiftly moving protons—304(L)
Wigner, E. On the mass defect of helium—252

Wigner, E. and F. Seitz. On the constitution of metallic sodium—804; 1048(A)
Wilkins, T. R. and S. D. Burdick. Photographic determination of the half-period of thorium *B*—1059(A)
——— **and R. N. Wolfe.** Response of a chromic acid desensitized emulsion to alpha-rays—1052(A)
Williams, E. Allan (see Utterback, C. L.)—212(A)
Williams, John H. Relative intensities of the *K*-series lines of the elements 24 to 52 by the ionization chamber method—1049(A)
Williams, John Warren (see Oncley, J. L.)—341
Williams, Robley C. and George B. Sabine. Lack of observed hyperfine structure in the Al III line, 5722.6A —362(L)
Wills, Lawrence A. (see Breit, G.)—1044(A)
Wilson, J. E. (see Thomassen, L.)—763(L)
Wilson, Thomas A. Unit cell of uranium calculated from x-ray powder method data—781(A)
Wintersteiner, O. and H. A. Abramson. Electrical potential of amorphous and crystalline amphoteric surfaces in liquids—372(A)
Witmer, E. E. and J. P. Vinti. Symmetry properties and the indistinguishability of similar particles—780(A)
Wold, P. I. Resistivity of expanded conductors—383(A); 1042(A)
Wolf, A. and A. Goetz. Magnetostriction in bismuth single crystals—213(A)
Wolfe, Hugh C. Interpretation of x-ray satellites—221; 376(A)
Wolfe, R. N. (see Wilkins, T. R.)—1052(A)
Wollan, E. O. Measurements of intensity of Compton modified radiation by means of filters—955
Wood, Lawrence A. Equivalent circuit of a blocking-layer photo-cell—375(A)
Wood, R. W. (a) Raman spectra made with a quartz high potential mercury vacuum tube (Hannovia tube). (b) Exhibition of phase-reversal zone-plates ruled on a specially constructed machine—782(A)
——— Remarkable optical properties of the alkali metals —1052(A)
——— Transmission band of alkali metals in ultraviolet —779(A)
Woodrow, Jay W. and A. R. Schmidt. Fluorescence of some substances containing vitamin A—379(A)
Workman, E. J. Secondary effects in ionization by hard gamma-rays—859
Worthing, A. G. On the effect of high electrostatic fields on the vaporization of metals—383(A)
Wright, Norman (see Randall, H. M.)—1043(A)
Wu, Ta-You and S. Goudsmit. Low states of the heaviest elements—496(L)
Wyckoff, R. D. and H. G. Botset. Experimental study of the motion of particles in systems of complex potential distribution—373(A)

Yearian, H. J. Logarithmic protractor—779(A)
——— (see Lark-Horovitz, K.)—376(A)
Young, Lloyd A. (see Bradbury, Norris E.)—84(L)
——— (see Morse, Philip M.)—501(A)
——— **and Norris E. Bradbury.** Electron capture cross sections—1054(A)
——— **and Norris E. Bradbury.** Photoelectric currents in gases between parallel plate electrodes—34

Zacharias, Jerrold. Temperature dependence of Young's modulus for nickel—377(A)
Zahl, H. A. (see Hershberger, W. D.)—1042(A)
Zisman, W. A. Elastic constants of rocks and their relation to seismic wave speeds—501(A)
Zwicky, F. How far do cosmic rays travel?—147(L)
——— On cooperative phenomena—215(A); 270
——— On a new type of reasoning and some of its possible consequences—1031(L)
——— On the plasticity of crystals—765(L)
Zworykin, Vladimir K. On electron beams in high vacuum —778(A)

ANALYTIC SUBJECT INDEX TO VOLUME 43

References marked (A) are to abstracts of papers presented at meetings of the Physical Society, those marked with (L) are to Letters to the Editor.

Absorption of light (see also **Spectra, absorption**)
By cancer cells, A. J. Allen, R. Franklin, E. McDonald—1041(A)
Of O_2 between 1750 and 1300°A, R. Ladenburg, C. C. Van Voorhis—315
In phosphorescent materials, D. H. Kabakjian—378(A)
Transmission band of alkali metals in ultraviolet, R. W. Wood—779(A)

Accommodation coefficient
Momentum transfer theory, K. T. Compton, E. S. Lamar—1054(A)
Positive ions in an He arc, E. S. Lamar—169

Acoustics
Absorption of sound in air and water vapor, V. O. Knudsen—1051(A)
Figures on circular plates, R. C. Colwell—782(A)
Filtration of elastic waves in rods, R. B. Lindsay—1051(A)
Sound absorption and transfer of vibrational energy, H. O. Kneser—1051(A)
Sound absorption in molecular gases, H. O. Kneser—215(A)

Adsorption
Ions and temperature effects, J. A. Becker, W. H. Brattain—1058(A)
Protein molecules on quartz, O. Wintersteiner, H. A. Abramson—372(A)

Aerodynamics (see also **Hydrodynamics**)
Boundary layer flow, H. L. Dryden—1046(A)
Effect of turbulence on cup anemometers, H. L. Dryden, W. C. Mock, Jr., G. B. Schubauer—1042(A)
Theory of cup anemometer, G. Grimminger—1042(A)
Turbulence in the atmosphere, L. P. Harrison—1042(A)

Affinity
Electron affinity spectrum of I, O. Oldenberg—374(A); 534

Afterglow
From N_2 and mixtures with inert gas, L. Vegard—1060(A)

Alloys
$CuAl_2$ in duralumin, G. L. Clark, H. A. Smith—305(L) L. W. Kempf—942(L)
Magnetic susceptibilities of, C. G. Montgomery, W. H. Ross—358

Alpha-particles (see also **Radioactivity**)
Disintegration of Al by swiftly moving protons, M. S. Livingston, E. O. Lawrence—369(L)
Range from Th, F. N. D. Kurie, G. D. Knopf—311; 781(A)

Arcs (see **Discharge of electricity in gases**)

Astrophysics
Absolute motion and the ether-drift experiment, D. C. Miller—1054(A)
Equilibrium theory of the abundance of the elements, T. E. Sterne—768(L); 585(L); 1056(A)
Radiation reaction forces and the expanding universe, R. Gunn—764(L); 1054(A)
Sensitive stellar photoelectric photometer, S. Smith—211(A)

Atomic form factors
Of K^+ and Cl^- from scattering of x-rays, G. G. Harvey—591; 707
From x-ray scattering, G. E. M. Jauncey, F. Pennell—505

Atomic and molecular beams
Magnetic velocity selector, I. I. Rabi, V. W. Cohen—377(A)
Scattering of K atoms, W. H. Mais, I. I. Rabi—378(A)

Atomic and molecular radii
By measurement of scattering of K atoms, W. H. Mais, I. I. Rabi—378(A)

Atomic structure (see **Energy states of atoms; Spectra**)

Atomic weights (see **Isotopes**)

Aurora
Auroral spectrum, J. Kaplan—214(A)
Luminescence from solidified gases, L. Vegard—1060(A)

Barkhausen effect (see **Magnetic properties**)

Barrier-layer photo-cells
Response to x-rays, P. R. Gleason—775(A)

Biophysics
Absorption spectra of cancer cells, A. J. Allen, R. Franklin, E. McDonald—1041(A)
Conduction of nervous impulse, N. Rashevsky—372(A)
Fluorescence of substances containing vitamin A, J. W. Woodrow, A. R. Schmidt—379(A)
Lethal effects of ultraviolet radiation on protozoa, R. Franklin, A. J. Allen, E. McDonald—1041(A)
Muscle contraction, spectra from striated muscle, A. Sandow—1041(A)
Potential and charge of a protein surface in a liquid; dielectric constant of mediums, H. A. Abramson, J. Daniel—773(A)

Capillary action
Motion of an air-segment, W. Schriever, J. F. Evans —372(A)

Chemical reactions
Decomposition of ozone, A. W. Ewell—779(A)

Cold emission (see also **Field currents**)
Effect of temperature, A. J. Ahearn—1058(A)
From Hg surfaces, J. W. Beams—781(A)
Surfaces which require very high gradients, C. C. Chambers—768(L)

Collision diameter (see **Atomic and molecular radii**)

Collision of second kind
Factors affecting action cross section, O. S. Duffendack, K. Thomson—106
With metastable atoms, E. W. Pike—144(L)

Conductivity, electrical (see **Electrical conductivity and resistance discharge of electricity in gases**)

Conductivity, thermal (see **Thermal conductivity**)

Constants, physical; Standards
Absolute determination of ampere, H. L. Curtis, R. W. Curtis—1059(A)
Absolute determination of the ohm, H. L. Curtis, C. Moon, C. M. Sparks—1041(A)
e by the dispersion of x-rays, J. A. Bearden, J. A. Wheeler —1059(A)
e/m by a new deflection method, F. G. Dunnington—404
e/m by means of photoelectrons excited by x-rays, G. G. Kretschmar—417
Photoelectric determination of h, L. A. DuBridge—727

Contact potentials
Between different faces of Cu single crystals, H. E. Farnsworth, B. A. Rose—375(A)
Theory of, A. T. Waterman—1048(A)

Cosmic radiation
Airplane intensity measurements, L. M. Mott-Smith, L. G. Howell—381(A)
Angular distribution, T. H. Johnson, E. C. Stevenson—583(L); J. C. Stearns, R. D. Bennett—1038(L)
Angular distribution at different altitudes, T. H. Johnson—307; 385(A); At Mexico City—1059(A)
Angular distribution of the low energy rays, T. H. Johnson, E. C. Stevenson—775(A)
Azimuthal asymmetry positively charged component, T. H. Johnson—834(L)
Azimuthal variation of intensity, T. H. Johnson—381(A)
Bursts of ionization, C. D. Anderson—368(L)
Detection by vacuum tube methods, J. R. Dunning—380 (A)
Energy-loss and scattering measurements, C. D. Anderson—381(A)
Evidence regarding nature of rays, A. H. Compton—382(A)
Expansion chamber data, G. L. Locher—381(A)
Fluctuations over 15 day period, J. W Broxon, G. T. Merideth, L. Strait—687
Geographic study of cosmic rays at various altitudes and latitudes, A. H. Compton—387
High speed ions of stellar origin, R. Gunn—380(A)
Hodoscope and a circuit for recording multiple coincident discharges, T. H. Johnson—379(A)
Intensities in the stratosphere, I. S. Bowen, R. A. Millikan—695
Ionization by hard γ-rays, E. J. Workman—859
Ionization by individual rays, W. F. G. Swann—775(A)
Latitude effect calculation of energies, G. Lemaitre, M. S. Vallarta—87
Latitude effect on secondary electrons, R. M. Langer—215(A)
Location of origin, F. Zwicky—147(L)
Mechanism of acquirement of energies, W. F. G. Swann —217
Nature of the primary radiation, W. F. G. Swann—945 (L)
New circuit for coincidence measurements, B. Sparks, W. Pickering—214(A)
New technique and some results, R. A. Millikan, H. V. Neher—381(A)
New techniques and results obtained, R. A. Millikan—661
New type of reasoning and some consequences, F. Zwicky—1031(L)
Non-unidirectional emission of Hoffman's Stösse, W. F. G. Swann, C. G. Montgomery—782(A)
Positive electron, C. D. Anderson—491
Positively charged component of cosmic rays, L. Alvarez, A. H. Compton—835(L)
Secondaries, production of, J. C. Street—1055(A)
Solar influence, R. A. Millikan, H. V. Neher—211(A)
Use of A in measuring cosmic rays and γ-rays, J. J. Hopfield—675

Critical potentials (see **Potentials, critical**)

Crystals and crystal structure
Contact potential difference between different faces of Cu single crystals, H. E. Farnsworth, B. A. Rose—375(A)
Cooperative phenomena, F. Zwicky—215(A) 270
Crystalline fields and paramagnetic susceptibilities, W. G. Penney—485
$CuAl_2$ in duralumin, G. L. Clark, H. A. Smith—305(L); L. W. Kempf—942(L)
Dielectric losses in rocksalt, P. L. Bayley—355
Effect of temperature on the reflection of x-rays, A. Goetz, R. B. Jacobs—213(A)
Ferromagnetic crystals; models, F. Bitter—655
Harmonic thickness vibration of quartz plates, S. Nishikawa, Y. Sakisaka, I. Sumoto 363(L)
Intensity formula for the powder method, F. C. Blake—376(A)
Interatomic distance calculations, M. L. Huggins, J. E. Mayer—373(A)
Magnetic dipole energy, L. W. McKeehan—1022
Magnetic dipole energy in hexagonal crystals, L. W. McKeehan—1025

Magnetic dipole fields in dislocated cubic crystals, L. W. McKeehan—924
Magnetic fields in unstrained cubic crystals, L. W. McKeehan—913
Magnetostriction in Bi single crystals, A. Wolf, A. Goetz—213(A)
Passage of photoelectrons through mica, N. E. Bradbury, L. A. Young—84(L)
Penetration of water into plastic rocksalt, R. B. Barnes—82(L)
Plasticity of crystals, F. Zwicky—765(L)
Plasticity of rocksalt, A. G. Smekal, 366(L)
Resistance of Bi single crystals in magnetic fields, O. Stierstadt—577
Of Rochelle salt and effect of temperature, B. E. Warren, H. M. Krutter—500(A)
Of sodium uranyl acetate, I. Fankuchen—1048(A)
Tension and electrical resistance, M. Allen—569
Thermal expansion of Bi single crystals, T. L. Ho, A. Goetz—213(A)
Unit cell of U, T. A. Wilson—781(A)
Vibrations of a quartz plate, H. Osterberg—819
Of vitreous silica and Pyrex, B. E. Warren—1048(A)
Weiss law for Rochelle salt, H. Müller—500(A)
X-ray lines of cold-worked Al, L. Thomassen, J. E. Wilson—763(L)
Zeeman effect in crystals, F. H. Spedding—214(A)

Dielectric constants (see **Dielectrics and dielectric properties**)

Dielectrics and dielectric properties
Dielectric constant of dilute non-aqueous solutions; frequency variation, J. L. Oncley, J. W. Williams—341
Losses in rocksalt, P. L. Bayley—355
Potential and charge of a protein surface in a liquid, H. A. Abramson, J. Daniel—773(A)
Weiss law for Rochelle salt, H. Müller—500(A)

Discharge of electricity in gases (see also **Electrons in gases**)
Initiation of discharges in high vacua, J. W. Beams—382(A)
Momentum transfer to cathode surfaces by impinging ions, E. S. Lamar—169
Momentum transfer theory, K. T. Compton, E. S. Lamar—1058(A)
Photoelectric currents in gases, L. A. Young, N. E. Bradbury—34
Photoelectric and metastable atom emission of electrons, C. Kenty—181
Plasma, Cs vapor, W walls, I. Langmuir—224
Secondary emission of electrons, S. D. Gvosdover—146(L)

Discharge of electricity in high vacua (see also **Thermionic emission; High voltage tubes and machines**)
Initiation of discharges in high vacua, J. W. Beams—382(A)

Disintegration of nucleus (see **Nucleus**)

Dissociation
Of CO by electron impact, W. W. Lozier—776(A)

Dissociation, heat of (see also **Molecular structure and constants**)
Of diatomic Bi, G. M. Almy, F. M. Spark—1043(A)

Dynamics
Figures on circular plates, R. C. Colwell—782(A)
Filtration of elastic waves in rods, R. B. Lindsay—1051(A)

Efficiency of ionization
He^{++} produced by single electron impact, W. Bleakney—378(A)
K-electron ionization of Ag by cathode rays, D. L. Webster, W. W. Hansen, F. B. Duveneck—384(A); 839

Elasticity
Analysis of compressibility data, H. M. Evjen—215(A)
Constants of rocks, W. A. Zisman—501(A)
Hooke's law and tensor analysis, C. Kaplan—137
Plasticity of rocksalt and its dependence upon water, R. B. Barnes—82(L)
Young's modulus and temperature changes, J. Zacharias—377(A)

Electrical circuits
Direct-current amplifier, L. A. Turner—1050(A)
Luminous discharge between Lecher wires, W. D. Hershberger, H. A. Zahl, M. J. E. Golay—1042(A)

Electrical conductivity and resistance (see also **Electrons in metals**)
Absolute determination of the ohm, H. L. Curtis, C. Moon, C. M. Sparks—1041(A)
Of Bi single crystals in magnetic fields, O. Stierstadt—577
Discontinuities of magnetoresistance, C. W. Heaps—763(L)
Effect of tension in Sb single crystals, M. Allen—502(A); 569
Passage of photoelectrons through mica, N. E. Bradbury, L. A. Young—84(L)
Of a rare gas irradiated by its own resonance radiation O. S. Duffendack, R. W. Smith—374(A)
Resistivity of expanded conductors, P. I. Wold—383(A); 1042(A)
Suggested explanation of superconductivity, J. Frenkel—907
Superconductivity of Sn at radiofrequencies, F. B. Silsbee, R. B. Scott, F. G. Brickwedde, J. W. Cook—1050(A)

Electrical oscillations and waves
Absorption and reradiation of short waves, C. R. Fountain—384(A)
Double refraction effects in K.-H. layers, H. R. Mimno, P. H. Wang—769(L)
Reflecting layers of the upper atmospheres, R. C. Colwell, I. O. Myers—774(A)

Electrolytes
Foundation of Debye's theory, O. Halpern—495(L)

Electromagnetic theory
Constitutive relations and tensor analysis, C. Kaplan—137
Torque on Faraday's magnet, E. H. Kennard—587(L)
Uncertainty of the field of a particle, G. Lemaitre—148(L)
Variational principles in electromagnetism, H. Bateman—481

Electromagnetic waves (see **Electrical oscillations and waves**)

Electron diffraction (see also **Scattering of electrons**)
Effect of spin interaction; polarization, J. H. Howey—499(L)
Fine structure of beams from Au crystal and from Ag on Au, H. E. Farnsworth—900
By liquids, L. R. Maxwell—1057(A)
Of low-speed electrons; surface effects, H. E. Farnsworth—778(A)
By single molecules, L. R. Maxwell, M. E. Jefferson, V. M. Mosley—777(A)
By stibnite and galena, A. G. Emslie—1056(A)
Surface effects, L. H. Germer—724; 777(A); H. E. Farnsworth—778(A)
By a W single crystal, W. T. Sproull—516
In zinc oxide and its interpretation, K. Lark-Horovitz, H. J. Yearian—376(A)

Electron lenses
For cosmic rays, W. F. G. Swann, W. E. Danforth, Jr.—778(A)
Electron beams in high vacuum, V. K. Zworykin—778(A)
Electron optics; production of beams, C. J. Davisson—777(A)

Electrons in gases
Electron capture cross sections, L. A. Young, N. E. Bradbury—1054(A)

Electrons in metals (see also **Electrical conductivity and resistance**)
Brillouin's unifield statistics, R. B. Lindsay—780(A)
Contact potential difference, A. T. Waterman—1048(A)
Flow in large direct currents, E. Weber—781(A)

Electrons, scattering of (see also **Electrons in gases**)
From Hg atom, E. B. Jordan, R. B. Brode—112; 211(A)
Perturbation theory and electron scattering, E. L. Hill—303(L)

Electrons, secondary
Ejected by Hg metastable atoms on a W surface, S. Sonkin—788
From a metal collector immersed in a discharge, S. D. Gvosdover—146(L)
By metastable atoms, S. Sonkin, H. W. Webb—776(A)
Reflection of electrons from liquid Hg, R. B. Brode, E. B. Jordan—1057(A)
From Ta, C. L. Utterback, E. A. Williams—212(A)

Electrons, thermionic (see **Thermionic emission**)

Electro-optical effects (see also **Photoelectric effect and properties**)
Kerr effect in gases, C. W. Bruce—1044(A)
Kerr effect of nonpolar molecules; theory, R. Serber—1003
Kerr effect theory, R. Serber—1011
Kerr's law at high fields, J. A. Hootman—1044(A); 749

Electrophoresis
Comparison of values, R. T. Birge—211(A)
Thermodynamic relation in the theory, O. Halpern—372(A)

Electrostatics
Semi-infinite medium of variable conductivity, L. B. Slichter—373(A)

e/m
By means of photoelectrons excited by x-rays, G. G. Kretschmar—417
By a new deflection method, F. G. Dunnington—211(A); 404

Energy states of atoms (see also **Spectra, atomic**)
Almost closed shell configuration, M. H. Johnson, Jr.—632
Interaction of configurations: $sd-p^2$, R. F. Bacher—264
Low states of the heaviest elements, Ta-You Wu, S. Goudsmit—496(L)
Vector model and the Pauli principle, M. H. Johnson, Jr.—627
Wave functions for $1s$, $2s$ and $2p$ states, P. M. Morse, L. A. Young—501(A)

Entropy
Of H_2O, W. F. Giauque, M. F. Ashley—81(L)
Of N_2, CO and H_2, W. E. Deming, L. S. Deming—1051(A)

Equations of state
Cooperative phenomena, F. Zwicky—270

Errata
Efficiency of electron release by metastable atoms, E. W. Pike—144(L)
Projective relativity and the Einstein-Mayer unified field theory, B. Hoffmann—946(L)

Evaporation
Of Mo in high electrostatic fields, G. B. Estabrook—383(A)
Possible explanations of vaporization in high fields, A. G. Worthing—383(A)

Excitation of atoms and molecules
Light excitation in Ne by Li ions, A. J. Dempster, R. E. Holzer—365(L)

Ferromagnetism (see **Magnetic properties**)

Field currents
Effect of high series resistance, R. W. Mebs—1058(A)
Effect of temperature on currents from Mo and W, A. J. Ahearn—1058(A)

Fine structure (see **Spectra, etc. and Hyperfine structure**)

Fluorescence
Of chlorophyll, H. V. Knorr, V. M. Alberts—379(A)
Effect of foreign gases in Hg, R. T. MacDonald, G. K. Rollefson—177
I fluorescence by I and A, quenching of, J. F. Koehler—1044(A)
Of substances containing vitamin A, J. W. Woodrow, A. R. Schmidt—379(A)

Galvanomagnetic effects
Gyromagnetic ratios for Ni and Co, S. J. Barnett—384(A)
Magnetization by the rotation of a magnetic field, S. J. Barnett—384(A)

Geophysics
Actinouranium and the geologic time, F. Western, A. E. Ruark—205(L); 781(A)
Flow of liquids through porous media, R. D. Wyckoff, H. G. Botset—373(A)
Isotopes of U, Th, and Pb and geologic time, C. S. Piggot—51
Seismic wave speeds and elastic constants of rocks, W. A. Zisman—501(A)
Variable conductiviy of surface layers, L. B. Slichter—373(A)

Hall effect
In large direct currents, E. Weber—781(A)

High voltage tubes and machines
Electrostatic production of high voltage, R. J. Van de Graaff, K. T. Compton, L. C. Van Atta—149; 382(A)
High velocity Hg ions, W. M. Coates, D. H. Sloan—212(A)
Method of doubling the energy of electrons, J. W. M. DuMond—1049(A)
New design for discharge tube, L. C. Van Atta, R. J. Van de Graaff, H. A. Barton—158
Portable electrostatic generator, E. H. Bramhall, R. J. Van de Graaff—382(A)
Production of 4,800,000 volt H_2 ions, M. S. Livingston, E. O. Lawrence—212(A)
Vacuum tube and Tesla coil, D. H. Sloan—213(A)
X-ray tube and constant potential transformer equipment, C. A. Poole, W. S. Werner—774(A)

Hydrodynamics
Boundary layer flow, H. L. Dryden—1046(A)
Capacity of channels having uniform inflow, K. H. Beij—1046(A)
National Hydraulic Laboratory, H. N. Eaton—1046(A)
Pressure loss for flow in curved pipes, G. H. Keulegan—1046(A)
Schroedinger's rule and stress-tensors, H. Bateman—363(L)
Theory and experiment, L. B. Tuckerman—1045(A)
Tides, P. Schureman—1046(A)

Hyperfine structure (see also **Nuclear spin**)
Absorption and emission in optically excited Hg vapor, M. L. Pool, S. J. Simmons—1045(A)
In the Al III line, 5722.6A, R. C. Williams, G. B. Sabine—362(L)
Anomalies, S. Goudsmit, R. F. Bacher—1045(A); 894
Calculation of nuclear magnetic moments, S. Goudsmit—636
Of Co, N. S. Grace—762(L)
Intermediate coupling and magnetic moments, G. Breit, L. A. Wills—1044(A)
Magnetic depolarization, A. C. G. Mitchell—780(A)
Paschen-Back effect; polarization of Cd λ2288A, N. P. Heydenburg—640
Polarization of resonance radiation, A. C. G. Mitchell—887
Separation of Na levels, N. P. Heydenburg—1045(A)
In Sr; lack of, A. N. Benson, R. A. Sawyer—766(L)

Instruments (see **Methods and instruments**)

Intensities in spectra (see also **Spectra, etc.**)
Between 1650A and 1240A with a photoelectric cell, W. M. Powell—779(A)

Ionization by neutrons
Gases at high pressures, T. W. Bonner—871

Ionization by positive ions (see also **Ionization potentials**)
In A, Ne, He N_2, CO H_2, and Hg by *K*-ions, C. A. Frische—160

Ionization potentials
Of A, Ne and He by A, Ne and He atoms, C. J. Brasefield—776(A); 785
Of N and acetylene, J. T. Tate, P. T. Smith, A. L. Vaughan—1054(A)
Of sulphur dioxide; products of ionization, H. D. Smyth, D. W. Mueller—121
Of water vapor; products of ionization, H. D. Smyth, D. W. Mueller—116

Ionization by radiation (see **Photoionization**)

Ionization, thermal
Electric-furnace ionization effect, A. S. King—214(A)

Ions in gases
Electron capture cross sections, L. A. Young, N. E. Bradbury—1054(A)
Nature of gas ions, O. Luhr—1053(A)
Types of ions in O_2 and H_2, C. D. Bock—1053(A)

Isotopes
Of Bi by magneto-optic method, F. Allison, E. R. Bishop—47
Of He; search for, J. T. Tate, P. T. Smith—672(L)
Of Kr, Se, Cd and Ge, K. T. Bainbridge—1056(A)
Lyman series lines of H, S. S. Ballard, H. E. White—941(L)
Mass of Be^9, K. T. Bainbridge—367(L)
Mass ratio of the Li isotopes, A. McKellar—215(A)
Masses of Ne^{20}, B^{11}, Ne^{22}, F^{19}, K. T. Bainbridge—424

Isotopes (Continued)
Of Ne; relative abundance, W. Bleakney—1056(A); K. T. Bainbridge—1056(A)
Of Pb by magneto-optic method, E. R. Bishop, M. Lawrenz, C. B. Dollins—43
Of Ra by magneto-optic method, E. R. Bishop, C. B. Dollins—48
And radioactive families, E. R. Bishop—38
Radioactivity of Be^9, R. M. Langer, R. W. Raitt—585 (L); 1055(A)
Search for Ne^{23}, K. T. Bainbridge—1060(A)
Separation of H_2 isotopes by fractional description, H. S. Taylor, A. J. Gould, W. Bleakney—496(L)
Spectroscopic search for H^3, G. N. Lewis, F. H. Spedding —964
Spin of H_2 isotope, G. N. Lewis, M. F. Ashley—837(L)
Of U, Th, and Pb and their geophysical significance, C. S. Piggot—51
Of U, Th and Tl by magneto-optic method, R. Goslin, F. Allison—49

Joule-Thomson effect
In He, J. R. Roebuck, H. Osterberg—60

Kerr effect (see **Electro-optical effects**)

Kinetic theory of gases
Transport phenomena in Einstein-Bose and Fermi-Dirac gases, E. A. Uehling, G. E. Uhlenbeck—552

Liquids
Air-segment in capillary, W. Schriever, J. F. Evans—372(A)
Electron diffraction, L. R. Maxwell—1057(A); L. R. Maxwell, M. E. Jefferson, V. M. Mosley—777(A)
Flow of liquids through porous media, R. D. Wyckoff, H. G. Botset—373(A)
Structure in ionic solutions, G. W. Stewart—1057(A)
X-ray diffraction of liquid films, K. Lark-Horovitz, E. P. Miller—1060(A)

Logic of physics
Many-valued truths, E. T. Bell—1033(L); F. Zwicky—1031(L)
New type of reasoning and some consequences, F. Zwicky—1031(L)

Low temperature phenomena
Temperatures below 1°K by demagnetization of $Gd_2(SO_4)_3 \cdot 8H_2O$, W. F. Giauque, D. P. MacDougall—768(L)

Luminescence
Decay and light absorption in phosphorescent materials, D. H. Kabakjian—378(A)
From solidified gases, L. Vegard—1060(A)

Magnetic properties (see also **Magnetostriction**)
Of B_2H_6, R. S. Mulliken—765(L)
Barkhausen; effect of a circular field with torsion, L. Tonks, K. J. Sixtus—70
Diamagnetic susceptibilities and polarizabilities, G. W. Brindley—1030(L)
Diamagnetism of carbon tetrachloride, benzene and toluene; temperature variation, G. F. Boeker—756
Dipole energy in crystals, L. W. McKeehan—1022
Dipole energy in hexagonal crystals, L. W. McKeehan —1025
Dipole fields in unstrained cubic crystals, L. W. McKeehan—913
Discontinuities of magnetoresistance, C. W. Heaps—763(L); 945(L)
Discontinuities and regions of reversed magnetization, L. Tonks, K. J. Sixtus—931
Dynamic aspect of ferromagnetic theory, F. Bitter—377(A)
Electromotive forces and Barkhausen discontinuities, C. W. Heaps—763(L); 945(L)
Of Fe-Ni alloys under pressure, R. L. Steinberger—502(A)
Of ferromagnetic crystals; models, F. Bitter—655
Ferromagnetism and cooperative phenomena, F. Zwicky —270
Fields in cubic crystals; effect of cold-working, L. W. McKeehan—924
Gyromagnetic ratios of Ni and Cs, S. J. Barnett—384(A)
Intrinsic magnetic field and specific heat, J. Kunz—377(A)
Magnetization as a function of temperature, P. S. Epstein—216(A)
Paramagnetic saturation in a single crystal, W. J. de Haas, J. v. d. Handel, C. J. Gorter—81(L)
Paramagnetic susceptibilities and crystalline fields, W. G. Penney—485
Permeability of Fe at high frequencies, W. Arkadiew —671(L)
Search by deflection-experiments for the Dirac isolated magnetic pole, M. A. Tuve—770(L)
Susceptibilities of common gases, G. G. Havens—992
Susceptibilities of Pb, Ag and their alloys, C. G. Montgomery, W. H. Ross—358

Magnetostriction
In Bi single crystals, A. Wolf, A. Goetz—213(A)

Mass defects
Of He, E. Wigner—252

Mass-spectrograph (see also **Methods and instruments**)
Comparison of masses of He and H^1, K. T. Bainbridge —103; 378(A)
Mass of Be^9 and the atomic weight of Be, K. T. Bainbridge—367(L)
Products of ionization in N and acetylene, J. T. Tate, P. T. Smith, A. L. Vaughan—1054(A)
Theory of the inverse first power electrostatic field, G. C. Munro—213(A)

Mean life
Effect of foreign gases on Hg in 2^3S_1 state, R. T. Macdonald, G. K. Rollefson—177
From magnetic depolarization, A. C. G. Mitchell—780 (A)
Of states of Hg atom, A. C. G. Mitchell—887

Mechanics (see **Dynamics**)

Mechanics, quantum—atomic structure and spectra
Configuration interaction in complex spectra, C. W. Ufford—1047(A)
Configuration p^5p of rare gases, G. H. Shortley—1047(A)
Dispersion and absorption of He, J. A. Wheeler—258
Electron affinity spectrum of H_2, C. K. Jen—540
Energy levels and Zeeman effect, D. R. Inglis, N. Ginsburg—194
Interaction of valence electron with closed shell, M. H. Johnson, Jr., G. Breit—1047(A)
Variable scale wave functions, J. P. Vinti, P. M. Morse—337
Wave functions for Bo, F. W. Brown, C. G. Dunn—1047(A)
Wave functions for $1s$, $2s$ and $2p$ states, P. M. Morse, L. A. Young—501(A)

Mechanics, quantum—general
Approximations by Rayleigh-Ritz variation method, J. K. L. MacDonald—830
Conservation theorems, E. L. Hill—780(A)
Continuous β-ray spectrum, A. Bramley—767(L)
Disintegration of Li by protons, J. R. Oppenheimer—380(A)
Interaction between atoms with s-electrons, N. Rosen, S. Ikehara—5; N. Rosen—671(L)
Kowalewski's top, Otto Laporte—548; 782(A)
Orthogonality of scattered wave functions, E. H. Kennard, 378(A)
Particle with a q-number charge, V. Rojansky—207(L)
Perturbation theory and electron scattering, E. L. Hill—303(L)
Pressure broadening of spectral lines, H. Margenau—129; 374(A)
Probabilities of K-electron ionization by cathode rays, D. L. Webster, W. W. Hansen, F. B. Duveneck—384(A); 839
Properties of similar particles, E. E. Witmer, J. P. Vinti—780(A)
Uncertainty of electromagnetic field of a particle, G. Lemaitre—148(L)

Mechanics, quantum—molecular structure and spectra
Of Be H; table of integrals, C. Ireland—329
C state of Li_2, W. H. Furry—361(L)
Electronic states; theory of the double bond; polyatomic molecules, R. S. Mulliken—279
Perturbations due to spin-orbit forces, J. H. Van Vleck—1047(A)
Structure of ethylene and theory of double bond, W. G. Penney—1048(A)

Mechanics, quantum—of solid bodies
Constitution of metallic Na, E. Wigner, F. Seitz—804; 1048(A)

Mechanics, statistical
Averages for perturbed systems, R. Serber—320
Brillouin's unified statistics, R. B. Lindsay—780(A)
Transport phenomena in Einstein-Bose and Fermi-Dirac gases, E. A. Uehling, G. E. Uhlenbeck—552

Metals
Constitution of metallic Na, E. Wigner, F. Seitz—804; 1048(A)
$CuAl_2$ in duralumin, G. L. Clark, H. A. Smith—305(L)
Transparent films of Mn, J. B. Nathanson—383(A)

Metastable atoms and molecules
Action of Hg atoms on W surfaces, S. Sonkin—788; S. Sonkin, H. W. Webb—776(A)
^2D-level of N, H. Stücklen, E. P. Carr—944(L)
And efficiency of ionization, E. W. Pike—144(L)
Emission of electrons from surfaces, C. Kenty—181

Meteorology (see also **Aerodynamics**)
Effect of turbulence on cup anemometers, H. L. Dryden, W. C. Mock, Jr., G. B. Schubauer—1046(A)
High speed ions of stellar origin, R. Gunn—380(A)
Receiving circuit for K.-H. layer observations, H. R. Mimno, P. H. Wang—774(A); double refraction effects—769(L)
Reflecting layers of the upper atmospheres, R. C. Colwell, I. O. Myers—774(A)
Theory of cup anemometer, G. Grimminger—1042(A)
Turbulence in the atmosphere, L. P. Harrison—1042(A)

Methods and instruments
α-particles from ionization chamber materials, J. A. Bearden—376(A)
Al-Mg mirrors, H. W. Edwards—205(L); J. Strong—498(L)
Applications of the absolute differential calculus to physics, C. Kaplan—137
Attainment of temperatures below 1°K, W. F. Giauque, D. P. MacDougall—768(L)
Ballistic galvanometer in high vacuum, W. B. Ellwood—1042(A)
Characteristics and functions of Thyratrons, A. W. Hull—379(A); see *Physics*, Vol. **4**, p. 66 (1933)
Circuit for coincidence measurements of cosmic rays, B. Sparks, W. Pickering—214(A)
Cosmic-ray hodoscope and a circuit of recording multiply coincident discharges, T. H. Johnson—379(A)
Determination of work functions, G. W. Fox, R. M. Bowie—1057(A)
Dielectric constant at high frequencies, J. L. Oncley, J. W. Williams—341
Direct-current amplifier, L. A. Turner—1050(A)
Doubling energy of electrons, J. W. M. DuMond—1049(A)
Effect of turbulence on cup anemometers, H. L. Dryden, W. C. Mock, Jr., G. B. Schubauer—1046(A)
Electrostatic production of high voltage, R. J. Van de Graaff, K. T. Compton, L. C. Van Atta—149; 382(A)
Estimates of probable error using prior information, W. E. Deming—1059(A)
Etching and rocking curve widths of x-rays, K. V. Manning—1050(A)
Evaporation technique for production of Al mirrors, J. Strong—498(L)

Methods and instruments (Continued)
Focussing method for the angular distribution of electrons; collisions with gases, A. P. Gagge—776(A)
Fusion method for determining Ra content of rocks, R. D. Evans—211(A)
High potential porcelain x-ray tube, R. Crane, C. C. Lauritsen—212(A)
High tension electrostatic voltmeter, J. E. Shrader—774(A)
High vacua in large metal chambers, M. S. Livingston—214(A)
High voltage discharge tube, L. C. Van Atta, R. J. Van de Graaff, H. A. Barton—158
Intensification of x-ray spectrograms, E. Wainer—303(L)
Intensity measurements with photoelectric cell, W. M. Powell—779(A)
Interferometer for analyzing vibrations, H. Osterberg—819
Logarithmic protractor, H. J. Yearian—779(A)
Luminous discharge between Lecher wires, W. D. Hershberger, H. A. Zahl, M. J. E. Golay—1042(A)
Magnetic velocity selector for molecular beams, I. I. Rabi, V. W. Cohen—377(A); 1044(A)
Mechanical interval recorder, W. Albertson—501(A)
Mechanical interval sorter for complex spectra, G. R. Harrison—779(A)
Micro-moving pictures of protozoa, R. Franklin, A. J. Allen, E. McDonald—1041(A)
Modulator for K.-H. layer recording, H. R. Mimno, P. H. Wang, P. B. King—501(A)
Nuclear studies using the Van de Graaff generator, M. A. Tuve, L. R. Hafstad, O. Dahl—1055(A)
Photographic determination of the half-period of Th *B*, T. R. Wilkins, S. D. Burdick—1059(A)
Porous plug experiment, J. R. Roebuck, H. Osterberg—60
Portable high tension voltmeter, H. T. Clark—382(A)
Portable roentgenmeter, C. C. Lauritsen—212(A)
Properties of metals in the region of ultra-short electromagnetic waves, G. Potapenko, R. Sanger—210(A)
Receiving circuit for K.-H. layer observations, H. R. Mimno, P. H. Wang—774(A)
Response of desensitized emulsion to α-rays, T. R. Wilkins, R. N. Wolfe—1052(A)
Reststrahlen plates, preparation of, R. B. Barnes—31
Sensitive stellar photoelectric photometer, S. Smith—211(A)
Separation of H_2 isotopes by fractional desorption, H. S. Taylor, A. J. Gould, W. Bleakney—496(L)
Specified wave forms with the photoelectric siren, H. P. Knauss—375(A)
Spectra from striated muscle, A. Sandow—1041(A)
Theory of the inverse first power electrostatic field, G. C. Munro—213(A)
Transmission band of alkali metals in ultraviolet, R. W. Wood—779(A)
Use of A in measuring cosmic rays and γ-rays, J. J. Hopfield—675
Vacuum tube for measuring small unidirectional currents and voltages, G. Failla—774(A)
Vacuum tube methods, for corpuscular radiation, J. R. Dunning—380(A)
X-ray absorption by the use of the FP-54 Pilotron, L. M. Heil, J. E. Edwards—1
X-ray tube and constant potential transformer equipment, C. A. Poole, W. S. Werner—774(A)

Molecular beams (see **Atomic and molecular beams**)

Molecular structure and constants
Of beryllium hydride; table of integrals, C. Ireland—329
Calculation of molecular vibration frequencies, D. H. Andrews, V. Deitz, S. Goldheim—373(A)
Of CO_2, A. Adel, D. M. Dennison—716
Of CO, G. H. Dieke, J. W. Mauchly—12
C state of Li_2, W. H. Furry—361(L)
Electronic configuration of B_2H_6, R. S. Mulliken—765(L)
From envelopes of absorption bands, S. L. Gerhard, D. M. Dennison—197
Of ethylene and theory of double bond, W. G. Penney—1048(A)
Ground state of H_2, H. M. James, A. S. Coolidge—588(L)
Of H_2O, W. F. Giauque, M. F. Ashley—81(L)
Inner shells and atomic interactions, H. M. James—589(L)
Interaction between atoms with *s*-electrons, N. Rosen, S. Ikehara—5; N. Rosen—671(L)
Of ozone, W. S. Benedict—580(L)
Of ozone and SO_2, R. M. Badger, L. G. Bonner—305(L)
Predissociation and energy curves, O. K. Rice—501(A)

Multiplets (see **Spectra, atomic**)

Neutrons
Collision radius, I. I. Rabi—838(L)
Disintegration by a slow neutron, W. D. Harkins, D. M. Gans, H. W. Newson—208(L)
Emission of γ-rays by nuclei excited by neutrons, W. D. Harkins—362(L)
Ionization of gases at high pressures, T. W. Bonner—871
Mass of the neutron, A. v. Grosse—143(L)
Model of; collision with protons, F. N. D. Kurie—672(L)
Neutron of high velocity; nuclear disintegration, W. D. Harkins, D. M. Gans, H. W. Newson—584(L)
Nitrogen disintegration, F. N. D. Kurie—771(L)
In the nucleus, A. Landé—I, 620; II, 624
Scattering and absorption, J. R. Dunning, G. B. Pegram—497(L); 775(A)
Search by deflection-experiments for the Dirac isolated magnetic pole, M. A. Tuve—770(L)

Nuclear spin (see also **Hyperfine structure**)
Of Be, A. E. Parker—1035(L)
Of CO, N. S. Grace—762(L)
Of H^2, G. N. Lewis, M. F. Ashley—837(L)
Of Li^7 from hyperfine structure, N. M. Gray—1044(A)
Of N, R. F. Bacher—1044(A); 1001
Of Na, I. I. Rabi, V. W. Cohen—582(L)

Nucleus
Conquest of the physical world, B. Davis—379(A)
Disintegration of B by protons, M. G. White, E. O. Lawrence—304(L)
Disintegration of elements of medium atomic number, M. A. Tuve, L. R. Hafstad, O. Dahl—942(L)
Disintegration of F^{19}, K. T. Bainbridge—424
Disintegration of Li by high speed protons, M. C. Henderson—98; 380(A); J. R. Oppenheimer—380(A)
Disintegration of N^{14} by capture of neutron, W. D. Harkins, D. M. Gans, H. W. Newson—584(L); 1055(A)
Disintegration by a slow neutron, W. D. Harkins, D. M. Gans, H. W. Newson—208(L)
Disintegration of swiftly moving protons, M. S. Livingston, E. O. Lawrence—369(L)
Equilibrium theory of the abundance of the elements, T. E. Sterne—768(L)
Hemi-alpha groups and energy of binding, W. D. Harkins—1059(A)
Mass defect, E. Wigner—252
Moment of Co, N. S. Grace—762(L)
Nuclear energy levels, W. D. Harkins—362(L)
Radioactivity of Be^{9}, R. M. Langer, R. W. Raitt—585 (L)
Relative radii of nuclei, T. W. Bonner—871
Spin of Na nucleus, J. Joffe, H. C. Urey—761(L)
Structure of, A. Landé, I—620; II—624
Studies using the Van de Graaff generator, M. A. Tuve, L. R. Hafstad, O. Dahl—1055(A)
Theory of the abundance of the elements, T. E. Sterne —585(L)

Optical constants and properties (see also **Electro-optical effects**)
Absorption and dispersion of O_2, R. Ladenburg, C. C. Van Voorhis—315
Of the alkali metals, R. W. Wood—1052(A)
Depolarization, optical anisotropy and Kerr effect, R. Serber—1003
Dispersion and absorption of He, J. A. Wheeler—258
Index of refraction of CO_2, F. L. Brown—373(A)
Index of refraction of water and its thermal history, V. K. La Mer, M. L. Miller—207(L)
Refractive indices of metals in thin films, J. B. Nathanson—383(A)

Optical instruments (see **Methods and instruments**)

Paschen-Back effect
Of hyperfine structure of Cd λ2288A, N. P. Heydenburg —640
Of resonance Na radiation, N. P. Heydenburg—1045(A)

Philosophy of physics (see **Logic**)

Photoelectric effect and properties
Of Cs vapor, J. Kunz—1052(A)
Energy distribution; electrons from Zn surfaces, N. E. Bradbury—502(A)
Energy distribution of photoelectrons, L. A. DuBridge —727
Equivalent circuit of a blocking-layer photo-cell, L. A. Wood—375(A)
Passage of photoelectrons through mica, N. E. Bradbury, L. A. Young—84(L)
Sensitive stellar photoelectric photometer, S. Smith—211(A)
Sensitivity and long wave limit of Mg, R. J. Cashman, W. S. Huxford—811
From surfaces in the rare gases, C. Kenty—181
Work function in the extreme ultraviolet, C. Kenty—776(A)
And x-ray polarization, D. G. Hare, P. Kirkpatrick—000(L)

Photography
Frequency of flash and the photographic intermittency effect, B. O'Brien, V. L. Parks—1052(A)
Herschel effect with x-rays, J. M. Blair—85(L)
Response of desensitized emulsion to α-rays, T. R. Wilkins, R. N. Wolfe—1052(A)

Photoionization
By hard γ-rays; secondary effects, E. J. Workman—859

Photometry
Intensification of spectrograms, E. Wainer—303(L)
Logarithmic protractor, H. J. Yearian—779(A)
Measurement in the Schumann region, E. G. Schneider —779(A)
Measurements between 1650A and 1240A with a photoelectric cell, W. M. Powell—779(A)

Piezoelectric effect
Analyzing vibrations of a quartz plate, H. Osterberg—819
Harmonic thickness of piezoelectric quartz plates, S. Nishikawa, Y. Sakisaka, I. Sumoto—363(L)

Plasmoidal discharges (see **Discharge of electricity in gases**)

Polarization, electrical (see also **Dielectrics and dielectric properties**)
Polarizabilities of ions from spectra, J. E. Mayer, M. G. Mayer—605

Polarization of radiation
Depolarization and optical anisotropy, R. Serber—1003
And hyperfine structure, A. C. G. Mitchell—887
Of resonance Na radiation, N. P. Heydenburg—1045(A)

Polymerization
Of water, V. K. La Mer, M. L. Miller—207(L)

Positive electron
Observed in Wilson chamber cosmic-ray tracks, C. D. Anderson—491; 1056(A)
Production by γ-rays, C. D. Anderson, S. A. Neddermeyer—1034(L)

Potentials, critical (see also **Ionization potentials**)
Light excitation in Ne by Li ions, A. J. Dempster, R. E. Holzer—365(L)

Predissociation
Crossing of molecular potential energy curves, O. K. Rice—501(A)

Probability of ionization (see **Efficiency of ionization**)

Quenching of radiation
I fluorescence by I and A, J. F. Koehler—1044(A)

Radio (see **Electric oscillations and waves**)

Radioactivity
Actinouranium and the geologic time, F. Western, A. E. Ruark—205(L); 781(A)
α-particles from ionization chamber materials, J. A. Bearden—376(A)
Of Be^9, R. M. Langer, R. W. Raitt—585(L); 1055(A)
Continuous β-ray spectrum, A. Bramley—767(L)
Fusion method for determining Ra content of rocks, R. D. Evans—211(A)
Half-period of Th *B*; photographic method, T. R. Wilkins, S. D. Burdick—1059(A)
Ionization by hard γ-rays, E. J. Workman—859
Radioactive families, E. R. Bishop—38
Range of α-particles from Th; Geiger-Nuttall law, F. N. D. Kurie, G. D. Knopf—311; 781(A)

Raman spectra
Of CO_2, A. Adel, D. M. Dennison—716
Of five higher alcohols, P. L. Bayley—373(A)
Scattering by crystalline H halides, E. O. Salant, D. Callihan—590(L)

Ramsauer scattering
Photoelectric currents in gases, L. A. Young, N. E. Bradbury—34

Recombination
Of atomic H_2, I. Amdur—208(L)
Spectra in Cs discharge, F. L. Mohler—374(A)

Relativity
Absolute motion and the ether-drift experiment, D. C. Miller—1054(A)
Interpretation of heat in relativistic thermodynamics, R. C. Tolman, H. P. Robertson—564
Projective relativity and the unified field theory, B. Hoffman—615; Erratum—946(L)

Resistance, electrical (see **Electrical conductivity and resistance**)

Resonance radiation
Of Br vapor, H. Plumley—495(L)
Paschen-Back effect of Cd λ2288A, N. P. Heydenburg—640

Reststrahlen
Preparation of plates; reflecting power, R. B. Barnes—31

Scattering of electrons and ions (see also **Electrons in gases; Electron diffraction**)
Elastic scattering by Hg, E. B. Jordan, R. B. Brode—112; 211(A)
Elastic scattering in Ne, A. L. Hughes, J. H. McMillen—875
K-ions in gases, C. A. Frische—160
Magnetic focussing method, A. P. Gagge—776(A)
Small-angle inelastic scattering in He, Hg and H_2, S. N. Van Voorhis—777(A)

Scattering of light (see **Raman spectra**)

Secondary electrons (see **Electrons, secondary**)

Solid state (see **Mechanics, quantum—of solid bodies**)

Sound (see **Acoustics**)

Spectra, absorption (see also **Absorption of light**)
Of ammonia in ultraviolet, J. K. Dixon—711
Of benzene in the liquid, solid and vapor states, C. F. Leberknight—967
In crystals, F. H. Spedding—143(L)
Of diatomic Bi, G. M. Almy, F. M. Sparks—1043(A)
Envelopes of infrared bands, S. L. Gerhard, D. M. Dennison—197
Fine structure of infrared bands of methane, W. V. Norris, H. J. Unger—467
Infrared bands of ammonia, H. J. Unger—123
Infrared bands of acetylene; new arrangement, G. B. B. M. Sutherland—883
Rotation spectra of NH_3 and PH_3 gases under high resolving power, H. M. Randall, N. Wright—1043(A)

Spectra, atomic
Almost closed shell configuration, M. H. Johnson, Jr.—632
Of Ca I-like ions, W. M. Cady—214(A); 322
Of Cb V and Mo VI, M. W. Trawick—1047(A)
By collisions of the second kind, O. S. Duffendack, K. Thomson—106
Configuration interaction; for Ti II and Zr II, C. W. Ufford—1047(A)
Configuration f^5p of rare gases, G. H. Shortley—1047(A)
Energy levels and Zeeman effect, D. R. Inglis, N. Ginsburg—194
Of H^2; fine structure, G. N. Lewis, F. H. Spedding—964
Interaction of valence electron with closed shell, M. H. Johnson, Jr., G. Breit—1047(A)
Lyman series lines of H^2, S. S. Ballard, H. E. White—941(L)
Metastable ^2D-level of N, H. Stücklen, E. P. Carr—944(L)
Multiplets of Cb III and Mo IV, A. Y. Eliason—745
Of Ni, Zeeman effect, H. H. Marvin, A. E. Barager—973
Pt I-like isoelectronic sequence, G. K. Schoepfle—374(A)
Of Sb VI and Te VII; Pd I isoelectronic sequence, G. K. Schoepfle—742
Of S I and S II, J. E. Ruedy—1045(A)
Transformations in complex spectra, G. H. Shortley—451
Vector model and the Pauli principle, M. H. Johnson, Jr.—627
Wave functions for Bo, F. W. Brown, C. G. Dunn—1047(A)

Spectra, continuous
Electron affinity spectrum, O. Oldenberg—374(A); 534
Electron affinity spectrum of H_2, C. K. Jen—540

Spectra, general
Auroral spectrum, J. Kaplan—214(A)
Electron affinity spectrum of I, O. Oldenberg—374(A); 534
Pressure broadening; calculated, H. Margenau—129; 374(A)
Pressure effects of foreign gases on Na, H. Margenau, W. W. Watson—1053(A)
Recombination spectra of a Cs discharge, F. L. Mohler—374(A); 1052(A)

Spectra, molecular (see also **Molecular structure and constants**)
Analysis of GeO band spectrum, R. W. Shaw—1050(A)
Analysis of infrared of CO_2, A. Adel, D. M. Dennison—1043(A)
From atomic I vapor, O. Oldenberg—501(A)
Of BaH, W. W. Watson—9; 375(A)
Of CS, F. H. Crawford, W. A. Shurcliff—766(L)
Electronic states; double bond; polyatomic molecules, R. S. Mulliken—279
Extreme ultraviolet of H, C. R. Jeppesen—214(A)
Of H^1H^2, M. F. Ashley—770(L)
Infrared of CO_2, A. Adel, D. M. Dennison—716
Internal resonance in CO, G. H. Dieke—780(A)
Magnetic rotation spectrum of Na, W. R. Frederickson, C. R. Stannard—1043(A)
Of MgF, F. A. Jenkins, R. Grinfeld—943(L)
New band of the OH molecule, H. L. Johnston, D. H. Dawson, M. K. Walker—374(A); 473; 1057
New lines in the electronic spectrum of OH, K. Chamberlain, H. B. Cutter—771(L)
OH band (2, 2), H. L. Johnston, D. H. Dawson—580(L)
Resonance spectrum of Br, H. Plumley—495(L)
Rotation vibration spectrum of H_2S, A. D. Sprague, H. H. Nielsen—375(A)
Spin-orbit forces, J. H. Van Vleck—1047(A)
Third positive group of CO bands, G. H. Dieke, J. W. Mauchly—12
Vibrational isotope effects, E. O. Salant, J. E. Rosenthal—581(L)

Spectroscopy, technique
Al mirrors, H. W. Edwards—205(L); J. Strong—498(L)
Application of the mechanical interval recorder, W. Albertson—501(A)
Intensification of x-ray spectrograms, E. Wainer—303(L)
Mechanical interval sorter for complex spectra, G. R. Harrison—779(A)

Sputtering
Of Pt by Hg ions, J. E. Henderson, E. Gideon—601
Transparent films of Mn, J. B. Nathanson—383(A)

Standards (see **Constants, physical**)

Stark effect
Theory of; applications to Ni, Li, C and A, E. U. Condon—648

Statistical mechanics (see **Mechanics, statistical**)

Superconductivity (see **Electrical conductivity and resistance**)

Surface phenomena
Electrical potential of amorphous and crystalline amphoteric surfaces in liquids, O. Winterstein, H. A. Abramson—372(A)

Symposia
On cosmic rays, G. L. Locher—381(A); R. A. Millikan, H. V. Neher—381(A); A. H. Compton—382(A); See under Cosmic radiation

Thermal conductivity
Convective heat flux from parallel plates, R. B. Kennard—372(A)
Of metals in the range 0 to 600°C, M. S. Van Dusen, S. M. Shelton—1052(A)

Thermal diffusivity
Precise determination for Zn, R. H. Frazier—135; 762(L)

Thermal expansion
Of Bi single crystals, T. L. Ho, A. Goetz—213

Thermionic emission of electrons, emitting surfaces
Films of Cs on W; space charge sheath and image force, I. Langmuir—224
New method for determining work functions, G. W. Fox, R. M. Bowie—1057(A)
Thermionic and adsorption characteristics of Pt on W, R. W. Sears, J. A. Becker—1058(A)
Thermionic and adsorption characteristics of Th on W, W. H. Brattain, J. A. Becker—428; 1058(A)
Work function of composite surfaces, W. H. Brattain, J. A. Becker—1058(A)

Thermodynamics
Calculations from spectroscopic data, L. S. Kassel—364(L)
Cooperative phenomena, F. Zwicky—270
Free energy of formation and entropy of water, W. F. Giauque, M. F. Ashley—81(L)
Interpretation of heat in relativistic thermodynamics, R. C. Tolman, H. P. Robertson—564

Vacuum tubes
For measuring small unidirectional currents and voltages, G. Failla—774(A)

van der Waals forces
From pressure broadening of spectral lines, H. Margenau—374(A)

Vaporization (see **Evaporation**)

Viscosity
Of mixtures of liquids at high pressures, R. B. Dow—502(A)

X-rays, absorption
Anomaly in the Cb *K* limit, C. J. Burbank—83(L)

X-rays, absorption (Continued)
Secondary absorption and fine structure, C. D. Cooksey, S. T. Stephenson—670(L)
By the use of the FP-54 Pliotron, L. M. Heil, J. E. Edwards—1

X-rays, diffraction scattering, reflection, refraction and polarization
Absolute reflectivities of single crystals, P. Kirkpatrick, P. A. Ross—596
Broadening of lines of cold-worked Al, L. Thomassen, J. E. Wilson—763(L)
Diffraction in ionic solutions, G. W. Stewart—1057(A)
Diffraction of liquid films, K. Lark-Horovitz, E. P. Miller—1060(A)
Effect of temperature on the intensity of x-rays, J. J. Shonka—947
Effect of temperature on the reflection of x-rays, A. Goetz, R. B. Jacobs—213(A)
Etching and the relative intensities of double Laue spots, M. Y. Colby, S. Harris—562
Intensity of Compton radiation, E. O. Wollan—955
Laue photographs from oscillating quartz, S. Nishikawa, Y. Sakisaka, I. Sumoto—363(L)
Measurement of polarization, D. G. Hare, P. Kirkpatrick—1037(L)
Scattering by gaseous dichlorbenzenes, W. C. Pierce—145(L)
Scattering from powdered crystals, G. E. M. Jauncey, F. Pennell—505
Scattering from sylvine, G. G. Harvey—591; 707

X-rays, emission
Of Cb and Sb, P. A. Ross and P. Kirkpatrick—1036(L)
Effects of chemical combination on S $K\alpha$ and $K\beta$, J. Valasek—612
By fast Hg ions, W. M. Coates—837(L)
Fluorescence yield from U, R. J. Stephenson—527
Intensity of the Ag K-lines as a function of voltage and emergence angle, D. L. Webster, W. W. Hansen, F. B. Duveneck—385(A)
Interpretation of satellites, H. C. Wolfe—376; 221
K-series of W, J. C. Hudson, H. G. Vogt—1049(A)
Relation between line and continuous spectra, W. W. Hansen, K. B. Stoddard—701
Relative intensities of K-series lines of elements 24 to 52, J. H. Williams—1049(A)
Relative intensity of satellites, F. R. Hirsch, Jr., F. K. Richtmyer—1049(A)
Wave-lengths of Ag Mo, Cu Fe and Cr K-series lines, J. A. Bearden, C. H. Shaw—921; 1050(A)
Widths of lines of K-series of W, F. K. Richtmyer, S. W. Barnes—1049(A)

X-rays, spectra and spectroscopy, wave-length measurements
Etching and rocking curve widths, K. V. Manning—1050(A)
Intensification of spectrograms, E. Wainer—303(L)
Measurement of polarization, D. G. Hare, P. Kirkpatrick—1037(L)
Rocking curve; widths of lines, S. W. Barnes, L. D. Palmer—1050(A)
Wave-lengths of $K\alpha_1$ lines of Ag, Mo, Cu, Fe and Cr, J. A. Bearden, C. H. Shaw—1050(A); 92; 1059(A)

X-rays, tubes, apparatus
High voltage tube and constant potential transformer equipment, C. A. Poole, W. S. Werner—774(A)
High voltage tube and Tesla coil, D. H. Sloan—213(A)
Method of doubling the energy of electrons, J. W. M. DuMond—1049(A)
Porcelain x-ray tube, R. Crane, C. C. Lauritsen—212(A)
Portable roentgenmeter, C. C. Lauritsen—212(A)

Zeeman effect
Arc sprectrum of Ni, H. H. Marvin, A. E. Baragar—973
Atomic energy levels in complex spectra, D. R. Inglis, N. Ginsburg—194
In crystals, F. H. Spedding—214(A)
Of Pb II, III and IV, J. B. Green, R. A. Loring—459
For perturbed N_2^+ terms, A. E. Parker—780(A)